

FFP2

5 layers filter

0,01 10 800 9.600
Kg box 11 11

ref. 53787
RRP: 0,98€

WITH A NOSE CLIP TO SHAPE THE HALF MASK AT THE NOSE

FOAM PAD TO MAKE IT MORE COMFORTABLE

2 ELASTIC RUBBER HEADBANDS, WITH NO PRESSURE TO THE EARS

ANTI-FOG

Penetration of filtering material:

≤ 6%

Total leakage:

≤ 11%

Max. Breathing resistance:

30l/min (inhalation): ≤ 0.70 mbar
95l/min (inhalation): ≤ 2.4 mbar
160l/min (exhalation): ≤ 3 mbar

Presented in a box with 10 bags of 1 unit each

Approved according to EU regulation 2016/425
Complies with EN 149:2001 standard

FFP2 MASK WITH VALVE

ref. 53844
RRP: 2,80€



EBF: Efficacy to Bacterial Filtration: 95%

RRP per unit, served in boxes of 3 units:

Approved according to EU regulation 2016/425
Complies with EN149:2001+A1:2009

0,01 3 360 1.440
Kg box 11 11

HEAD BANDS MADE OF RUBBER FOR AN EASIER ATTACH TO THE EAR

ARCHED DESIGN FOR SMOOTHER BREATHING

Penetration of filtering material:

≤ 6%

Total leakage:

≤ 11%

Max. Breathing resistance:

30l/min (inhalation): ≤ 0.70 mbar
95l/min (inhalation): ≤ 2.4 mbar
160l/min (exhalation): ≤ 3 mbar

0,01 10 1.000 9.000
Kg box 11 11

ref. 53959
RRP: 0,78€

ref. 53960
RRP: 0,78€

ref. 53961
RRP: 0,78€

ref. 53963
RRP: 0,78€

ref. 53946
RRP: 0,78€

ref. 537870
RRP: 0,78€

5 layers filter



Complies with EN 149:2001+A1:2009 standard

Approved according to EU regulation 2016/425

daily use

3 layers filter

ref. 53797
RRP: 0,10€



EBF: Efficacy to Bacterial Filtration:
>95%
Respiratory resistance:
35-50 Pa

0,01 50 2.000 24.000
Kg box 11 11

ref. 53907
RRP: 0,16€



EBF: Efficacy to Bacterial Filtration:
≥ 98%
Microbial cleaning:
≤ 30 CFU/g

0,01 50 2.000 24.000
Kg box 11 11



ref. 53957
RRP: 0,30€

FFP3

ref. 53916
RRP: 3,80€



Penetration of filtering material:

≤ 1%

Total leakage:

≤ 2%

Max. Breathing resistance:

95l/min (inhalation): ≤ 700Pa
160l/min (exhalation): ≤ 300Pa

0,03 10 200 1.600
Kg box 11 11

Complies with EN 149:2001 standard

Approved according to EU regulation 2016/425



NON-CONTACT AND NON-SENSING TEMP-MEASURING SYSTEM

ref. 53830 RRP: 2.996€




3,15 1
Kg 1f



This thermal camera is oriented to temperature measurement in places with large influxes precisely and quickly up to 3 meters away.



Ideal for measuring and controlling temperature at the entrances of schools, building, shops, stations, Etc.



It has thermal sensor and face capture algorithm



It can capture the human face and measure the temperature at the same time

Works by IP connection



Power:
12VDC

Internet:
RJ45

Relay :
+ :NO - :COM

- Be able to measure without contact to avoid cross infections.
- To be able to store and analyze all the information collected.
- Get measurements from multiple individuals at once.
- Operate continuously and automatically.

It must be installed indoors, as there should be no wind between the people and the chamber, nor without sun around.



Monitoring software

Detects body temperature fastly, in real time and contactless



Temperature range:
30° - 45 °C
Accuracy:
± 0,5 °C
Optimal measuring distance:
1 m.
Resolution:
0,1 °C
Infrared resolution:
160x120

Includes: User's manual, USB cable, SD card 16GB

PROFESSIONAL THERMAL IMAGER

ref. 53795 RRP: 1.450€

0,80 5
Kg 1f



complies with:
EN61326-1:2013,
EN61326-2-2:2013,
EN61326-2-3 ROHS

check out how it works



tripod

ref. 14786

RRP: 48,00€

1,25 10
Kg 1f



with alarm system

Support real time image transmission

With USB cable connected to any display, real-time image can be projected

+ 16Gb SD card memory storage



Consult the whole range of JBM protection and security products:
www.jbmcamp.com

*Retail prices. Taxes NOT included. Valid until 31/12/2022

jbmcamp.com +34 972 40 57 21 / +34 972 24 55 33

ANTI-FOG PROTECTION MASK

ref. 53798

RRP: 1,95€



0,04 25 200 1.800
Kg SUB

Direct protection against fluids / liquids and bacteria.

Covered with foam on the inside to improve the comfort of use
On-screen anti-fog treatment
Adjustable

Complies with EN166

SAFETY ANTIFOG GOGGLES

ref. 53785

RRP: 4,80€

Indirect vents for dusty environments




Direct protection against fluids / liquids and bacteria
Adjustable elastic strap
Indirect anti-fog venting



0,05 14 112 896
Kg SUB

EN166:2002-04

METHACRYLATE PROTECTORS



Thickness: 5mm
Hole: 300x160mm
Base: 150x200mm

50x70CM
ref. 53835

RRP: 38,00€

2,30 8 108
Kg SUB

100x70CM
ref. 53836

RRP: 58,00€

4,05 5 60
Kg SUB

70x50CM
ref. 53899

RRP: 12,00€

2,30 8 108
Kg SUB




DISPOSABLE COVERALL

53413

19,00€

T. XL

CLASS I



0,15 50 400
Kg SUB



back: 100% polyester, cut in the middle



double drawstring closure at neck and waist

SURGICAL GOWN

14782

29,50€



front: 100% polyester + PVC waterproof finish

elastic rubberized cuff

can be washed at 90° reusable

100% waterproof breathable polyester

BOX NITRILE GLOVES BLUE 3.5MIL

REF.	DESCRIPTION	Kg	Sub	Box	€
3.5 MIL					
42446	S	0,40	100	10 500	14,80€
53984	M	0,50	100	10 400	14,80€
53985	L	0,50	100	10 400	14,80€
53986	XL	0,55	100	10 400	14,80€

NEW EN-388 EN 374 EN 455

REF.	DESCRIPTION	Kg	Sub	Box	€
4.0 MIL					
53989	M	0,70	100	10 500	17,80€
53990	L	0,70	100	10 500	17,80€
53991	XL	0,70	100	10 500	17,80€

NEW EN ISO 374-1 Type B EN ISO 374-5:2016

REF.	DESCRIPTION	Kg	Sub	Box	€
5.0 MIL					
52681	M	0,62	100	10 340	15,80€
52682	L	0,62	100	10 340	15,80€
52683	XL	0,67	100	10 340	15,80€

JBM EN-388 EN 374

REF.	DESCRIPTION	Kg	Sub	Box	€
5.5 MIL					
53994	M	0,50	50	20 560	14,90€
53995	L	0,50	50	20 560	14,90€
53996	XL	0,55	50	20 560	14,90€

NEW EN ISO 374-5:2016 EN ISO 374-5:2016 EN 420:2003 + At: 2009

REF.	DESCRIPTION	Kg	Sub	Box	€
7.0 MIL					
53551	M	0,90	100	10 300	19,80€
53552	L	1	100	10 300	19,80€
53553	XL	1	90	10 300	19,80€

JBM EN 455



SIGNAGE

A3 size posters
297 x 420mm
Material: cardboard



IT IS MANDATORY
TO USE THE
DISINFECTANT GEL

14809E RRP: 1,80€



KEEP THE
SAFETY
DISTANCE

14810E RRP: 1,80€



IT IS MANDATORY
TO WASH
YOUR HANDS

14811E RRP: 1,80€



THE USE OF
PROTECTIVE SCREEN
IS MANDATORY

14812E RRP: 1,80€



THE USE OF
THE MASK
IS MANDATORY

14813E RRP: 1,80€



THE USE OF THE
MASK AND GLOVES
IS MANDATORY

14814E RRP: 1,80€

delivered with protective transparent plastic bag



ADHESIVE WARNING TAPE SAFETY DISTANCE

ref. 53840EN RRP: 9,80€

100mm x 1.000mm

0,05 10 360
Kg m² m

AVAILABLE IN ANY
LANGUAGE

ROUND ADHESIVE SAFETY DISTANCE

ref. 53843EN RRP: 8,35€

Ø 400mm

0,05 60

Kg m²



HIGH VISIBILITY YELLOW VEST special safety

ref. 53788EN RRP: 3,95€

0,12 100 2.600
Kg m² m

Includes message to keep a safe
distance between people

COMPLIES WITH: EN ISO20471:2013



Consult the whole range of JBM protection and security
products:
www.jbmcamp.com

SPRAY format



valid for air
conditioning

53824
RRP: 9,00€

0,40 24 1.152
Kg m² m

500 ml



100 ml

53804
RRP: 1,80€

0,10 35 2.940
Kg m² m



SURFACE CLEANER LIQUID



Cleans all
types of surfaces:
home - car - office - air conditioning



5 l

CARAFE 5L
53829
RRP: 24,00€

4,45 4 128
Kg m² m



1 l

SPRAYER 1L
53828
RRP: 7,30€

0,90 12 324
Kg m² m

FLEXIBLE WAND

15314

RRP: 3,15€



check out
how it works



Get 1 flexible wand **FOR FREE**
for the purchase of 24 units of ref. 53824

www.jbmcamp.com

Avoid the entry of polluting agents into your facilities

MAT WITH TANK

53862

RRP: 51,00€

1,45 5 100
Kg

CLEAN AND DISINFECT FOOTWEAR

✓ Flexible vinyl sinks in and immerses soles in a disinfectant solution

✓ Size: 85x55x10cm
Material: TPE
Max. recommended capacity: 3L
Max. capacity: 8L

53863

53862

DRYING CARPET

53863

RRP: 15,50€

0,7 5 240
Kg

REMOVE HUMIDITY OF THE FOOTWEAR

✓ It removes moisture of footwear after going through the disinfectant

✓ Its beveled ramps avoid tripping when entering and exiting the carpet

✓ Size: 76x48cm
Material: Polyester

SERIE 316

~~72,05€~~

59,90€ RRP OFFER

LIQUID FOR MAT 53862

ref. 53893

RRP: 21,00€

4,50 4 128
Kg

AUTOMATIC SHOE COVER DISPENSER

ref. 53781

RRP: 28,00€

Allows to cover the feet with plastic covers only by placing them inside the dispenser.

Includes 8 pieces of PVC in the base for a better fixation and a set of 100 shoe covers

Operation



check out how it works



100pcs shoe cover

ref. 14781 RRP: 9,90€

0,25 84 336
Kg

2,20 8 32
Kg



PROFESSIONAL INFRARED THERMOMETER

ref. 53794

RRP: 36,20€

measure body temperature in 1 second and without contact



with sound alarm

with smart chip and memory of up to 32 registers

large screen for easy viewing




Measuring distance: 1,5-5cm

Body temperature	32.0°C - 42.2°C (89.6°F - 108°F)
Measurement accuracy	±0.2°C (35°C - 42°C)

0,15 80 1.280
Kg



PLASTIC POST FOR CHAIN




SEPARATION POLE WITH RETRACTABLE TAPE

ref. 53914
PVP: 75,60€

8,5 Kg 5

- Material: Steel
- Tube diameter: 63mm
- Base diameter: 320mm
- Height: 910mm

- 4-way tape output
- Tape length: 3m
- Tape width: 48mm



WHITE / RED MARKING TAPE

ref. 53811
RRP: 15,90€

0,45 Kg 10
200m x 10cm



PLASTIC CARABINER 8MM
ref. 53810
RRP: 1,50€

0,05 30

PLASTIC CARABINER
ref. 53839
RRP: 0,25€

0,01 10 2.000

PLASTIC CHAIN WHITE / RED

ref. 53809
RRP: 8,00€

1,30 Kg 40 960



Length: 5m
Link: 6mm
Color: Red / White



UV STERILIZER BOX

ref. 53838 RRP: 48,00€

- ✓ SANITIZES
- ✓ POWERFUL
- ✓ SAFE AND EFFECTIVE
- ✓ ODOR REMOVAL
- ✓ FOLDABLE
- ✓ FAST



The box is very easy to assemble and disassemble, making it convenient to transport.



12V
5V 2W
Amp 0.38-0.42
UV 1550 μW/cm²
Q 1.5-2.0 mg/h
3min
1,10 Kg 8 96

Voltage (35KHz)

Power 2W

Current 0.38-0.42A

UV intensity 1550 μ W / cm²

UV Wavelength 254nm

Ozone output 1.5-2.0 mg/h

PORTABLE OZONE GENERATOR

Disinfects the air in rooms using O₃ ozone to oxidize practically any particle: viruses, bacteria, organic and inorganic compounds

- OLOR O₃ ODOR
- VIRUS VIRUSES
- BACTERIAS BACTERIA
- HCHO

Use in unoccupied areas

- +** **HYGIENE**
- +** **ANTIBACTERIA**
- +** **PURIFIES**

Wide applications: HOGAR HOME OFICINA OFFICE FURGONETAS VANS CAMIONES TRUCKS



ref. 53786 RRP: 128,00€

5.000mg/h

2,50 8 32
Kg 11 11

Recommended operating time for different room volume:

50m³ 100m³ 150m³ 200m³ 300m³
20min 40min 60min 80min 100min

172x187x158mm

65W 2 Amp 32 mm 80 CFM
5000 mg/h 45 dB

TEMPORIZADOR TUBER

PLATE FOR REF. 53805 **ref. 14775**

ref. 53796 RRP: 99,15€

600mg/h

0,90 8 128
Kg 11 11

15W 600 mg/h TEMPORIZADOR TUBER
ANIÓN NEGATIVE ION 3x10⁻⁶ ions/cm³ 12V 220V 15m³/h

180x130x80mm

- Light, fast and powerful
- Low noise level
- Portable size

connection to electricity and connection to cigarette lighter socket

ref. 53805 RRP: 220,00€

10.000mg/h

2,20 4 40
Kg 11 11

Room volume	Work time required
50m ³	8 min
100m ³	16 min
150m ³	24 min
200m ³	32 min
300m ³	48 min

95W 10000 mg/h ANIÓN NEGATIVE ION 20x10⁻⁶ ions/cm³ 110-120V 220-240V 20000 h TEMPORIZADOR TUBER

190x235x275mm

ref. 14802

ref. 53806 RRP: 290,00€

10.000mg/h
20.000mg/h

2 OPTIONAL STAGES

LOW 10.000mg/h		HIGH 20.000mg/h	
Room volume	Work time required	Room volume	Work time required
50m ³	8 min	500m ³	30 min
100m ³	16 min	600m ³	40 min
150m ³	24 min	700m ³	50 min
200m ³	32 min	800m ³	60 min
300m ³	48 min	900m ³	70 min
500m ³	65 min	1.000m ³	80 min

3,90 4 32
Kg 11 11

223x300x242mm

PLATE FOR REF. 53806 **ref. 14803**

INCORPORATES UV LIGHT TO STERILIZE UV 190W 120 CFM (3,44m³/min) 50 dB 220V 240V 20000 h TEMPORIZADOR TUBER

OZONO METER

ref. 53802 RRP: 290,00€

0,65 20 240
Kg 11 11



Working time: >8h
Charging time: 4h-6h

- Protection: IP65
- Two configurable alarm levels for different concentration levels

complies with: EN61326-1, EN61000-4-2, EN61000-4-3 **CE**



Accuracy: $\pm 5\%$ F.S.
Measuring range: 0-50ppm (0-98mg/m³)
Low alarm: 5ppm (9.8mg/m³)
High alarm: 10ppm (19.6 mg/m³)
Response time: <30 segundos
Operating temperature: -10°C - 55°C



GEL format

Hygiene and cleaning deep
Maximum effectiveness with alcohol



Display of 24 units

60 ml

53832

RRP: 1,90€

0,10 24 48

Kg t1 t2



500 ml

53791

RRP: 5,80€

0,47 12 576

Kg t1 t2



HAND CLEANER SPRAY

FOAM format

53803

RRP: 1,80€



100 ml

0,15 35 3.780

Kg t1 t2



DISPENSER for carafe

ref. 14793

RRP: 18,60€

0,05 100 1.200

Kg t1 t2



LOTION format

53822 RRP: 4,80€

valid for surfaces



500 ml

0,45 19 760

Kg t1 t2



AUTOMATIC GEL DISPENSER 1200ml

53902

RRP: 49,00€

1,15 18 144

Kg t1 t2


- Liquid supply: Adjustable from 0.7ml - 1.4ml.
- Compatible with liquid soap, alcohol, gel and hand sanitizer.
- Voltage: 6V 1.5A
- Size: 160x120x295mm.
- Material: ABS.



Includes bracket and screws to fix on the wall.



ACTIVATION DISTANCE SENSOR: 50-150MM



R14 C1.5V CELL

15062 0,1 24 480

1,00€ Kg t1 t2

AC/DC ADAPTOR 6V 1.5A

15059 0,10 200 -

10,00€ Kg t1 t2

AUTOMATIC GEL DISPENSER 400ml

53826

RRP: 26,00€



Activation distance sensor: 5cm
infrared motion sensor
blue LED indicator light

Dosage: 1ml

Voltage: 6V (4 batteries 1,5V)
Batteries not included

Compatible with liquid soap, alcohol, gel and hand sanitizer

0,15 40 400

Kg t1 t2

FOOT STAND FOR DISPENSER

ref. 53827

RRP: 67,00€



Weight: **4.3kg**
Material: **Steel**
Color: **Black**
Tray measures: **417x67mm**
Dispenser stand measurements: **480x133mm**
Base diameter: **395mm**

5,10 1 42

Kg t1 t2