



**POWER
TOOLS
CORDLESS**



IMPACT WRENCHES

CHOOSE THE IMPACT WRENCH THAT BEST SUITS YOUR NEEDS



INDIVIDUAL

REF.	"	V	W	Nm	Nm	RPM	IPM					€
60050	1"	20V	1300W	1800Nm	2300Nm	1850RPM	2400IPM	3.60	-	4	80	409,00€
60048	3/4"	20V	1000W	1000Nm	1300Nm	1800RPM	2200IPM	3.26	-	4	80	366,00€
60044	1/2"	20V	1000W	1200Nm	1300Nm	1600RPM	2000IPM	3.25	-	5	72	330,00€
60051	1/2"	20V	850W	850Nm	1000Nm	2400RPM	2800IPM	2.20	-	4	150	211,00€
60046	1/2"	20V	700W	550Nm	800Nm	2800RPM	3000IPM	1.50	-	4	224	174,00€

WITH CASE

REF.	"	V	W	Nm	Nm	RPM	IPM					€
60050C	1"	20V	1300W	1800Nm	2300Nm	1850RPM	2400IPM	7.20	-	4	32	564,00€
60048C	3/4"	20V	1000W	1000Nm	1300Nm	1800RPM	2200IPM	7.15	-	4	40	560,00€
60044C	1/2"	20V	1000W	1200Nm	1300Nm	1600RPM	2000IPM	7.05	-	4	40	485,00€
60051C	1/2"	20V	850W	850Nm	1000Nm	2400RPM	2800IPM	7.05	-	4	32	372,50€
60046C	1/2"	20V	700W	550Nm	800Nm	2800RPM	3000IPM	5.00	-	4	32	339,00€

SEE PAGE 11

DISCOVER ALL THE ACCESSORIES AVAILABLE FOR OUR IMPACT WRENCHES

Find all those accessories that will make your work easier, more comfortable and safer



SCREWDRIVING

20V

60064C

1.645,00€



1" 4000NM CORDLESS BRUSHLESS IMPACT WRENCH WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60064	1" 4000NM CORDLESS BRUSHLESS IMPACT WRENCH	16.45	-	1	18	1.444,00€
60015	6.0AH LI-ION BATTERY	1.00	-	5	630	138,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Square measure	1"	Speeds	950, 750, 550RPM
Rated voltage	2x20V DC	LED	Si/Yes
Power	2600W	Compatible with	60013, 60015
Max. tightening torque	3000, 2200, 1600Nm	Weight	22,70Kg
Max. breaking torque (untightening)	4000Nm	Dimensions (LxWxH)	860x200x340mm
IPM Impulses	1300, 1000, 600	Includes	60015 (x2), 60016 (x1)

60050C

564,00€

7.20 - 4 32

1" 2300NM CORDLESS BRUSHLESS IMPACT WRENCH WITH CASE



IT INCLUDES

REF.	DESCRIPTION					€
60050	1" 2300NM BRUSHLESS IMPACT WRENCH	3.60	-	4	80	409,00€
60015	6.0AH LI-ION BATTERY	1.00	-	5	630	138,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Square measure	1"	IPM Impulses	1000, 1800, 2400
Voltage	20V	Speeds	3
Power	1300W	LED	Si/Yes
Max. tightening torque	1800Nm	Compatible with	60015, 60016, 60017
Max. breaking torque (untightening)	2300Nm	Weight	3,40Kg
Nominal speed	1150, 1450, 1850RPM	Dimensions (LxWxH)	240x80x220mm

SPARE PARTS

52348 179,00€

8 PIECE 1" IMPACT SOCKET SET

5.85 - 2 256



52545 179,00€

2 PIECE IMPACT ADAPTER SET

3.00 - 4 1500



54316 182,00€

8 PIECE 1" LARGE IMPACT SOCKET SET

5.85 - 2 252




SCREWDRIVING

20V

60048C





560,00€

 7.15
  -
  4
  40

3/4" 1300NM CORDLESS BRUSHLESS IMPACT WRENCH WITH CASE



IT INCLUDES

REF.	DESCRIPTION					€
60048	3/4" 1300NM BRUSHLESS IMPACT WRENCH	3.26	-	4	80	366,00€
60015	6.0AH LI-ION BATTERY	1.00	-	5	630	138,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Square measure	3/4"
Voltage	20V
Power	1000W
Max. tightening torque	1500Nm
Max. breaking torque (untightening)	1800Nm
Nominal speed	1100, 1400, 1800RPM

IPM Impulses	1000, 1600, 2200
Speeds	3
LED	Si/Yes
Compatible with	60013, 60015, 60016, 60017
Weight	3,20Kg
Dimensions (LxWxH)	220x85x230mm

SPARE PARTS

52347 158,00€

8 PIECE 3/4" IMPACT SOCKET SET

 6.25
  -
  2
  154



53470 176,00€

8 PIECE 3/4" IMPACT SOCKET SET

 7.50
  -
  2
  160



SCREWDRIVING 20V

60044C

485,00€

7.05 - 4 40

1/2" 1300NM BRUSHLESS IMPACT WRENCH WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60044	1/2" 1300NM BRUSHLESS IMPACT WRENCH	3.25	-	5	72	330,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Square measure	1/2"
Voltage	20V
Power	1000W
Max. tightening torque	1200Nm
Max. breaking torque (untightening)	1300Nm
Nominal speed	1000, 1350, 1600RPM

IPM Impulses	1000, 1600, 2000
Speeds	3
LED	Si/Yes
Compatible with	60013, 60015, 60016, 60017
Weight	3,20Kg
Dimensions (LxWxH)	214x90x217mm

SPARE PARTS

52714 17,00€

10-PIECE SET OF 1/2" HEX SOCKETS

0.65 4 24 576



52716 17,00€

10-PIECE SET OF 1/2" 12-POINT SOCKETS

0.61 4 24 576



SCREWDRIVING

20V

60051C

372,50€

7.05
 -
 4
 32

1/2" 1000NM BRUSHLESS IMPACT WRENCH WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60051	1/2" 1000NM BATTERY-POWERED BRUSHLESS IMPACT WRENCH	2.20	-	4	150	211,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Square measure	1/2"	IPM Impulses	1800, 2200, 2800
Voltage	20V	Speeds	3
Power	850W	LED	Si/Yes
Max. tightening torque	850Nm	Compatible with	60013, 60015, 60016, 60017
Max. breaking torque (untightening)	1000Nm	Weight	2,20Kg
Nominal speed	1400, 1900, 2400RPM	Dimensions (LxWxH)	97x80x220mm

SPARE PARTS

52338 29,00€

4 PIECE 1/2" DRIVE ALLOY WHEEL SET

1.00
 5
 20
 640



53988 101,00€

10 PIECE 1/2" IMPACT WHEEL SOCKET SET

3.00
 -
 5
 220



60046C

339,00€

5.00 - 4 32

1/2" 800NM CORDLESS BRUSHLESS IMPACT WRENCH WITH CASE



IT INCLUDES

REF.	DESCRIPTION					€
60046	1/2" BRUSHLESS IMPACT WRENCH 800NM	1.50	-	4	224	174,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Square measure	1/2"
Voltage	20V
Power	700W
Max. tightening torque	550Nm
Max. breaking torque (untightening)	800Nm
Nominal speed	1800, 2300, 2800RPM

IPM Impulses	1800, 2200, 3000
Speeds	3
LED	Si/Yes
Compatible with	60013, 60015, 60016, 60017
Weight	1,50Kg
Dimensions (LxWxH)	80x90x210mm

SPARE PARTS

52714 17,00€

10-PIECE SET OF 1/2" HEX SOCKETS

0.65 4 24 576



52716 17,00€

10-PIECE SET OF 1/2" 12-POINT SOCKETS

0.61 4 24 576



SCREWDRIVING

20V

54863

499,00€

15.00 1 - 1 30

TOOL CASE WITH 800NM BATTERY IMPACT WRENCH



		1/2" x4 17, 19, 21, 22mm
		3/8" x10 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
		1/2" x7 21, 22, 23, 24, 27, 30, 32mm
		x2 PH2, PH3
		x2 PZ2, PZ3
		x2 SL5.5, SL6.5
		x5 H3, H4, H5, H6, H8
		x10 T5, T6, T7, T8, T9, T10, T15, T20, T25, T30
		x6 H2, H3, H4, H5, H6, H7
		x4 PH1, PH2, PH3, PH4
		x4 PZ1, PZ2, PZ3, PZ4
		x7 SL3, SL4, SL5, SL5.5, SL6, SL6.5, SL7
		3/8" x7 E10, E11, E12, E14, E16, E18, E20
		1/4" 13 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
		1/4" x1 145mm
		3/8" x1 200mm
		1/2" x1 255mm
		x1
		x1
		x4 1/4"-6mm, H3/8"-M1/4", H3/8"-M 3/8", H1/2"-M3/8"

		x12 6, 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19mm
		x7 T8, T10, T15, T20, T25, T30, T40
		1/4" x4 8, 9, 10, 12mm
		3/8" x4 13, 14, 15, 17mm
		1/4" x1 Universal
		3/8" x1 Universal
		1/2" x1 Universal
		1/2" x2 16, 21mm
		1/4" x1 50mm
		3/8" x2 125, 250mm
		1/2" x2 75, 150mm
		1/4" x1
		x1 PH3x150
		x1 SL6.5x150
		x1 60013 (4.0AH)
		x1 60066 (20V - 2A)
		x1 60046 (1/2" 800NM)

60052C

287,00€

4.70 - 4 32

1/4" CORDLESS IMPACT DRIVER 230 NM WITH CARRYING CASE



IT INCLUDES

REF.	DESCRIPTION					€
60052	1/4" CORDLESS IMPACT DRIVER – 230 NM	1.30	-	5	-	139,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER – 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Axle size	1/4"
Voltage	20V
Power	500W
Max. tightening torque	230Nm
Nominal speed	1200, 1900, 2500, 3200RPM

IPM Impulses	1400, 2200, 3000, 4000
Speeds	4
LED	Si/Yes
Compatible with	60013, 60015, 60016, 60017
Weight	0,80Kg
Dimensions (LxWxH)	110x70x205mm

SPARE PARTS

54586

SET OF 3 SOCKET SPANNER ADAPTERS WITH HEXAGONAL TIPS

0.41 10 100 3200

Pieces	3
Square measure	1/4", 3/8", 1/2"
Material	CrV



SCREWDRIVING

20V


SPECIAL IMPACT SOCKETS



REF.	"							€
14172		15mm	85mm	SMART	0.20	10	50	10,00€
14173	1/2"	17mm	85mm	MERCEDES	0.20	10	100	10,00€
14177		22mm	85mm	OPEL	0.25	10	100	10,00€
14178		21mm	85mm	KIA/HYUNDAI	0.25	10	50	10,00€



REF.	"						€
11314	1/2"	17mm	85mm	0.22	10	100	10,00€
11315		19mm	85mm	0.25	10	100	10,00€
11316		21mm	85mm	0.26	10	100	10,00€
11628		22mm	85mm	0.27	10	100	10,00€



REF.	"						€
16748	1/2"	17mm	85mm	0.36	10	50	76,00€
16749		19mm	85mm	0.36	10	50	76,00€
16750		21mm	85mm	0.36	10	50	76,00€

IMPACT SOCKETS

REF.		"						€
11153		1"	36mm	65mm	0.70	5	20	23,40€
11154		1"	37mm	65mm	0.73	6	24	24,00€
11155		1"	38mm	65mm	0.90	6	12	24,40€
11156		1"	39mm	65mm	0.74	6	24	26,60€
11157		1"	40mm	70mm	0.78	6	12	27,50€
11158		1"	41mm	70mm	0.95	6	18	28,50€
11159		1"	42mm	70mm	1.00	6	18	30,30€
11160		1"	43mm	70mm	0.95	6	12	31,20€
11161		1"	44mm	70mm	0.90	6	18	32,30€
11162		1"	45mm	70mm	1.10	4	8	33,10€
11163		1"	46mm	70mm	1.00	5	20	34,00€
11164		1"	47mm	70mm	1.05	2	24	34,90€
11165		1"	48mm	70mm	1.00	-	16	35,70€
11166		1"	50mm	75mm	1.21	5	20	36,20€
11167		1"	51mm	75mm	1.18	4	8	38,00€
11168		1"	52mm	85mm	1.18	-	10	39,20€
11169		1"	53mm	85mm	1.27	4	12	40,00€
11170		1"	54mm	85mm	1.33	4	12	41,00€
11171		1"	55mm	85mm	1.44	2	8	43,00€
11172		1"	56mm	85mm	1.47	4	8	47,00€
11173		1"	57mm	85mm	1.44	4	8	47,50€
11174		1"	58mm	85mm	1.58	4	8	48,00€
11175		1"	59mm	85mm	1.58	4	120	49,00€
11176		1"	60mm	90mm	1.75	2	4	53,00€
11177		1"	62mm	90mm	1.63	2	4	55,00€
11178		1"	63mm	90mm	1.75	-	8	56,00€
11179		1"	65mm	90mm	1.87	2	10	59,00€
11180		1"	67mm	90mm	1.93	2	8	65,00€
11181		1"	68mm	90mm	1.93	2	8	67,00€
11182		1"	70mm	95mm	2.05	10	50	70,00€
11183		1"	71mm	95mm	3.10	-	6	73,00€
11184		1"	73mm	95mm	3.27	-	4	87,00€
11185		1"	75mm	95mm	3.34	2	10	91,00€
11186		1"	76mm	95mm	3.35	1	8	97,00€
11187		1"	78mm	95mm	3.47	-	5	98,00€
11188		1"	80mm	95mm	3.60	-	4	103,00€

REF.		"						€
11189		1"	85mm	100mm	3.80	-	4	121,00€
11190		1"	89mm	100mm	3.80	1	2	138,00€
11191		1"	90mm	100mm	3.90	-	4	149,00€
11192		1"	92mm	105mm	4.85	-	2	152,00€
11193		1"	95mm	105mm	4.90	-	2	183,00€
11194		1"	100mm	105mm	4.43	1	2	190,00€
11621		1"	105mm	155mm	8.50	1	2	290,00€
11622		1"	110mm	155mm	8.13	1	2	399,00€
11623		1"	115mm	155mm	8.62	1	2	489,00€

EXTRALARGE

REF.		"						€
13745		1"	28mm	90mm	0.77	6	24	25,20€
13746		1"	30mm	90mm	0.95	6	12	25,40€
13747		1"	32mm	90mm	0.92	5	20	25,40€
13748		1"	33mm	90mm	0.88	2	16	26,00€



IMPACT SOCKETS

SHORT

REF.								€
11126	3/4"	19mm	51mm	0.25	10	50		11,20€
11127	3/4"	21mm	51mm	0.30	6	24		13,80€
11128	3/4"	22mm	51mm	0.35	10	50		14,10€
11129	3/4"	24mm	51mm	0.32	6	54		14,50€
11130	3/4"	25mm	54mm	0.45	4	48		14,90€
11131	3/4"	26mm	54mm	0.32	10	50		15,10€
11132	3/4"	27mm	54mm	0.30	10	50		15,40€
11133	3/4"	28mm	54mm	0.40	4	48		15,80€
11134	3/4"	30mm	54mm	0.41	6	24		16,20€
11135	3/4"	32mm	56mm	0.45	4	48		16,80€
11136	3/4"	33mm	56mm	0.50	10	50		17,50€
11137	3/4"	34mm	56mm	0.50	6	24		18,20€
11138	3/4"	35mm	56mm	0.50	10	50		18,50€
11139	3/4"	36mm	56mm	0.50	10	30		18,80€
11140	3/4"	38mm	57mm	0.55	5	30		19,50€
11141	3/4"	40mm	57mm	0.55	6	12		20,70€
11142	3/4"	41mm	57mm	0.60	6	12		21,30€
11143	3/4"	46mm	63mm	0.75	5	20		26,40€
11144	3/4"	50mm	68mm	1.00	6	24		33,30€
11145	3/4"	51mm	70mm	1.10	4	12		35,30€
11146	3/4"	55mm	73mm	1.27	2	16		37,30€
11147	3/4"	57mm	73mm	1.25	4	12		41,00€
11148	3/4"	60mm	75mm	1.40	5	20		47,00€
11149	3/4"	63mm	76mm	1.32	4	12		48,00€
11150	3/4"	65mm	78mm	1.35	-	8		55,00€
11151	3/4"	67mm	80mm	1.49	4	12		57,00€
11152	3/4"	70mm	80mm	1.49	1	10		59,00€

LARGE

REF.							€
13723	3/4"	19	90	0.43	5	20	18,50€
13724	3/4"	21	90	0.50	5	20	18,70€
13725	3/4"	22	90	0.61	5	20	19,00€
13726	3/4"	24	90	0.56	10	30	19,20€
13727	3/4"	26	90	0.51	6	18	19,50€
13728	3/4"	27	90	0.50	5	20	20,00€
13729	3/4"	29	90	0.70	6	12	21,00€
13730	3/4"	30	90	0.70	5	20	21,60€
13731	3/4"	32	90	0.71	5	20	22,00€
13732	3/4"	33	90	0.75	6	24	23,80€
13733	3/4"	34	90	0.85	6	18	24,90€
13734	3/4"	35	90	0.80	6	18	25,70€
13735	3/4"	36	90	0.81	5	20	25,80€
13736	3/4"	38	90	0.83	6	18	25,90€

SHORT

REF.							€
14728	1/2"	10	38	0.10	5	20	3,80€
14729	1/2"	11	38	0.05	10	100	3,80€
14730	1/2"	12	38	0.05	10	100	3,80€
14731	1/2"	13	38	0.10	10	100	4,00€
14732	1/2"	14	38	0.10	10	100	4,00€
11195	1/2"	17	38	0.10	10	100	4,00€
11121	1/2"	19	38	0.10	10	100	4,10€
14733	1/2"	21	38	0.10	10	20	4,30€
14734	1/2"	22	38	0.15	10	100	5,40€
11122	1/2"	24	38	0.14	10	20	5,45€
11123	1/2"	27	38	0.20	10	50	6,50€
11124	1/2"	30	38	0.20	10	50	7,65€
11125	1/2"	32	38	0.23	10	100	8,50€

LARGE

REF.							€
12061	1/2"	10mm	78mm	0.14	10	100	8,00€
14736	1/2"	11mm	78mm	0.15	10	100	8,00€
12062	1/2"	12mm	78mm	0.15	10	100	8,00€
12063	1/2"	13mm	78mm	0.15	10	100	9,00€
14737	1/2"	14mm	78mm	0.15	5	20	9,00€
12064	1/2"	15mm	78mm	0.17	10	100	9,00€
12065	1/2"	16mm	78mm	0.16	10	100	9,50€
12066	1/2"	17mm	78mm	0.23	10	100	9,50€
12067	1/2"	18mm	78mm	0.22	10	100	9,50€
12068	1/2"	19mm	78mm	0.21	10	100	10,00€
12069	1/2"	21mm	78mm	0.25	10	50	10,00€
12070	1/2"	22mm	78mm	0.26	10	100	10,50€
12071	1/2"	24mm	78mm	0.30	10	100	11,00€
12072	1/2"	27mm	78mm	0.36	5	60	12,00€

LARGE

REF.							€
11624	1"	65mm	105mm	2.40	-	2	189,00€
11625	1"	85mm	105mm	5.35	-	2	282,00€
12984	1"	105mm	105mm	5.00	-	2	379,00€

SHORT

REF.							€
16569	1/2"	36mm	42mm	0.47	10	40	21,00€
16570	1/2"	27mm	42mm	0.35	10	40	21,00€

LARGE

REF.							€
14738	1/2"	10mm	78mm	0.15	10	100	5,50€
14739	1/2"	11mm	78mm	0.15	10	100	5,50€
14740	1/2"	12mm	78mm	0.16	10	100	5,55€
14741	1/2"	13mm	78mm	0.15	10	100	5,55€
14742	1/2"	14mm	78mm	0.15	10	100	5,55€
14743	1/2"	16mm	78mm	0.14	10	100	5,60€
14744	1/2"	17mm	78mm	0.18	10	50	5,80€
14745	1/2"	19mm	78mm	0.22	10	100	6,25€
14746	1/2"	21mm	78mm	0.24	10	100	6,40€
14747	1/2"	22mm	78mm	0.27	10	50	7,10€
14748	1/2"	24mm	78mm	0.30	10	100	8,30€
11613	1/2"	27mm	78mm	0.35	10	20	11,00€
11614	1/2"	30mm	78mm	0.40	10	100	13,00€
11615	1/2"	32mm	78mm	0.45	4	48	14,20€
11616	1/2"	33mm	78mm	0.44	6	12	18,10€
11617	1/2"	34mm	78mm	0.42	6	24	18,70€
11618	1/2"	35mm	78mm	0.48	10	100	18,80€
11619	1/2"	36mm	78mm	0.47	10	100	19,50€

LARGE

REF.							€
16718	1/2"	M12	73mm	0.70	12	72	9,00€
16719	1/2"	M12	116mm	0.70	12	72	9,50€
16720	1/2"	M12	73mm 116mm	1.40	12	72	17,20€



DRILLING

20V

60023C

349,00€

7.00 - 4 32

BRUSHLESS ROTARY HAMMER WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60023	BRUSHLESS ROTARY HAMMER	3.10	-	5	120	212,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Voltage	20V
Power	500W
Nominal speed	1350RPM
Impact rate	4750BPM
Impact force	2,2J
Ø drilling in concrete	22mm
Ø of steel drilling	13mm

Ø drilling in wood	28mm
Chuck size	Ø15mm
Speeds	4
LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,80Kg
Dimensions (LxWxH)	286x75x218mm

SPARE PARTS

14837	3,30€	SDS-PLUS CHISEL POINT 14X250MM					
	0.05		50		250		-
14838	3,50€	SDS-PLUS STRAIGHT CHISEL 20X250MM					
	0.26		5		200		-
14839	4,70€	SDS-PLUS FLAT CHISEL 40X250MM					
	0.29		10		50		-
14840	3,50€	SDS-PLUS GROOVE CHISEL 250MM					
	0.27		10		50		-



SPARE PARTS

53850 16,00€

SET OF 7 SDS PLUS HAMMER DRILL BITS

0.65 5 25 1000

IT INCLUDES

REF.	mm					€
14827	5x110mm	0.04	25	500	-	2,00€
14828	6x110mm	0.05	25	500	-	1,50€
14829	6x160mm	0.04	25	500	-	1,50€
14830	8x110mm	0.04	-	300	-	1,50€
14831	8x160mm	0.05	25	500	-	1,50€
14832	10x160mm	0.05	25	200	-	2,00€
14834	12x210mm	0.10	100	200	-	2,50€



14841 2,58€

ADAPTER SDS PLUS TO DRILL CHUCK
ADAPTOR 1/2"

0.05 50 250 -



14842 9,50€

2-13MM 1/2"-20UNF KEYLESS DRILL CHUCK

0.26 5 200 -



DRILLING

20V

60047C

318,00€

5.25 4 32

DOUBLE SPEED IMPACT DRILL WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION	Box 1	Box 2	Box 3	Box 4	€
60047	DOUBLE SPEED IMPACT DRILL	1.80	-	4	90	237,50€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Voltage	20V
Power	900W
Maximum torque	150Nm
Nominal speed	500, 2200RPM
Impact rate	35000BPM

Chuck size	Ø13mm
Speeds	2
LED	Si/Yes
Compatible with	60013, 60015, 60016, 60017
Weight	1,60Kg
Dimensions (LxWxH)	420x105x340mm

SPARE PARTS

53860 3,90€

MASONRY 5 DRILL BIT SET 4-10MM

0.15 5 50 950







53861 5,80€

MASONRY 8 DRILL BIT SET 3-10MM

0.20 5 50 950



SET OF TWIST DRILLS

REF.	DESCRIPTION							€
53851	METRIC HSS 4241 TWIST DRILL SET 1-10MM BLACK	170 PCS	HSS-R 4241	3.80	-	4	192	89,00€
53855	METRIC HSS 4241 TWIST DRILL SET 1-13MM BLACK	25 PCS	HSS-R 4241	1.19	5	10	192	27,50€
53853	METRIC HSS 4241 TWIST DRILL SET 1-10MM BLACK	19 PCS	HSS-R 4241	0.58	5	20	192	14,60€
53852	METRIC HSS 4341 TWIST DRILL SET 1-10MM	170 PCS	HSS-G 4341	4.20	-	4	192	219,00€
53856	METRIC HSS 4341 TWIST DRILL SET 1-13MM	25 PCS	HSS-G 4341	1.32	5	10	550	67,00€
53854	METRIC HSS 4341 TWIST DRILL SET 1-10MM	19 PCS	HSS-G 4341	0.63	5	20	192	28,00€
54348	SET OF TWIST DRILLS 1-10MM HSS-CO5 COBALT	170 PCS	HSS-CO5	4.20	2	4	160	291,00€
54314	COBALT TWIST DRILL SET 1-13MM	25 PCS	HSS-CO5	1.32	5	10	450	82,00€
54313	COBALT TWIST DRILL SET 1-13MM	19 PCS	HSS-CO5	0.60	5	10	1000	43,00€



53851



53855



53853



53852



53856



53854



54348



54314



54313



60054C

329,00€



BRUSHLESS ANGLE GRINDER 115MM WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60054	BRUSHLESS ANGLE GRINDER - 115MM	1.78	-	4	120	171,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Voltage	20V	Vibrations per minute	0,8m/s2
Power	1115W	Compatible with	60012, 60013, 60015, 60016, 60017
Nominal speed	8000RPM	LED	No
Disc diameter	115mm	Weight	1,78Kg
Shaft diameter	M14	Dimensions (LxWxH)	318x137x105mm

SPARE PARTS

CUTTING DISCS

REF.							€
14893	T42	80m/s	13300RPM	2.5mm	115mm	22.3mm	S 0.05 50 200 1,00€
14895	T27	80m/s	13300RPM	6mm	115mm	22.3mm	S 0.15 25 100 2,00€
14897	T41	80m/s	13300RPM	1mm	115mm	22.3mm	SS 0.01 50 400 1,00€
14899	T41	80m/s	13300RPM	1.6mm	115mm	22.3mm	SS 0.03 50 400 1,00€



15014 20,00€

M14 ANGLE GRINDER QUICK CHANGE FAST LOCKING NUT



SANDING/POLISHING

20V

60049C

329,00€



BRUSHLESS ANGLE GRINDER 125MM WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60049	BRUSHLESS ANGLE GRINDER - 125MM	1.78	-	4	156	175,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Voltage	20V	Vibrations per minute	0,8m/s2
Power	1115W	Compatible with	60012, 60013, 60015, 60016, 60017
Nominal speed	8000RPM	LED	No
Disc diameter	115mm	Weight	1,78Kg
Shaft diameter	M14	Dimensions (LxWxH)	318x137x105mm

SPARE PARTS

CUTTING DISCS

REF.							€
14894	T42	80m/s	12200RPM	2.5mm	125mm	22.3mm	S 0.05 50 200 1,20€
14896	T27	80m/s	12200RPM	6mm	125mm	22.3mm	S 0.78 25 100 2,10€
14898	T41	80m/s	12200RPM	1mm	125mm	22.3mm	SS 0.03 50 400 0,98€
14900	T41	80m/s	12200RPM	1.6mm	125mm	22.3mm	SS 0.04 50 400 0,98€



15014 20,00€

M14 ANGLE GRINDER QUICK CHANGE FAST LOCKING NUT



60053C





549,00€

 9.00
  -
  4
  16

BRUSHLESS ANGLE GRINDER 125MM AND HAMMER DRILL KIT WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60047	DOUBLE SPEED IMPACT DRILL	1.80	-	4	90	237,50€
60049	BRUSHLESS ANGLE GRINDER - 125MM	1.78	-	4	156	175,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

60047

TECHNICAL SPECIFICATIONS

Voltage	20V
Power	900W
Maximum torque	150Nm
Nominal speed	500, 2200RPM
Impact rate	35000BPM
Chuck size	Ø13mm
Speeds	2
LED	Si/Yes
Compatible with	60013, 60015, 60016, 60017
Weight	1,60Kg
Dimensions (LxWxH)	420x105x340mm

60049

TECHNICAL SPECIFICATIONS

Voltage	20V
Power	1115W
Nominal speed	8000RPM
Disc diameter	125mm
Shaft diameter	M14
Vibrations per minute	0,8m/s2
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,78Kg
Dimensions (LxWxH)	318x137x105,5mm

SANDING/POLISHING

20V

60009C

335,00€

5.69 - 2 20

BRUSHLESS POLISHER WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60009	BRUSHLESS POLISHER	2.65	-	4	70	183,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Voltage	20V
Diameter of disc	180mm (7")
Nominal speed	800-2400RPM
Disc diameter	180mm
Shaft diameter	M14

Vibrations per minute	89m/s ²
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	2,65Kg
Dimensions (LxWxH)	500x220x225mm



SANDING/POLISHING 20V

60020

175,00€

3.15 - 4 72

BRUSHLESS PLANER



TECHNICAL SPECIFICATIONS

Voltage	20V
Nominal speed	16000RPM
Cutting width	82mm
Adjustable cutting depth	0-2mm
Adjustable rabbet depth	0-10,5mm
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	3,15Kg
Dimensions (LxWxH)	285x150x180mm

60033

104,00€

1.30 - 4 144

BRUSHLESS ORBITAL SANDER



TECHNICAL SPECIFICATIONS

Voltage	20V
Nominal speed	10000RPM
Disc diameter	150mm
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,30Kg
Dimensions (LxWxH)	210x150x150mm

60019

178,00€

3.45 - 4 112

RECIPROCATING SAW



TECHNICAL SPECIFICATIONS


Voltage	20V
Nominal speed	3000RPM
Maximum cutting capacity	150mm Madera/Wood, 10mm Acero/Steel
Stroke length	28mm
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	3,45Kg
Dimensions (LxWxH)	440x160x160mm

SPARE PARTS

14994 3,50€

2PCS SET OF 150MM 6TPI RECIP SAW BLADES FOR WOOD FOR REF. 60019


0.05 20 200 8400



14995 8,00€

2PCS SET OF 150MM 24TPI RECIP SAW BLADES FOR METAL FOR REF. 60019

0.05 20 200 8400



SAWING

20V

60007C

329,00€



BRUSHLESS CIRCULAR SAW WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60007	BRUSHLESS CIRCULAR SAW	3.75	-	4	60	170,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Voltage	20V
Nominal speed	4300RPM
Diameter of disc	165mm
Maximum Cutting Depth	55mm, 90° / 35mm, 45°

LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	3,10Kg
Dimensions (LxWxH)	270x170x290mm

SPARE PARTS

14985 6,00€


CIRCULAR SAW BLADE 24T 165MM FOR WOOD FOR REF. 60007



Internal diameter	20mm
External diameter	165mm
Number of teeth	24
Applicable	Madera/Wood
Compatible with	60007

14988 8,00€

CIRCULAR SAW BLADE 24T 165MM FOR METAL FOR REF. 60007



Internal diameter	20mm
External diameter	165mm
Number of teeth	24
Applicable	Metal/Metal
Compatible with	60007

SAWING 20V

60010C

299,00€

7.25 - 4 16

BRUSHLESS JIG SAW WITH CASE



IT INCLUDES

REF.	DESCRIPTION	Box 1	Box 2	Box 3	Box 4	€
60010	BRUSHLESS JIG SAW	2.80	-	4	144	170,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS


Voltage	20V
No-load speed	2600SPM
Maximum cutting capacity	135mm Madera/Wood, 8mm Acero/Steel
Stroke length	26mm

LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	2,80Kg
Dimensions (LxWxH)	230x80x210mm

SPARE PARTS

14991 2,00€
5PCS SET OF T244D JIG SAW BLADES FOR WOOD FOR REF. 60010


0.05 20 200 7200



Type	T244D
Lenght	100mm
Cutting capacity	100mm
Material	Acero/Steel HSS
Applicable	Madero/Wood
Compatible with	60010

14993 5,00€
5PCS SET OF T118A JIG SAW BLADES FOR METAL FOR REF. 60010

0.05 20 200 7200



Type	T118A
Lenght	76mm
Cutting capacity	8mm
Material	Acero/Steel HSS
Applicable	Metal/Metal
Compatible with	60010

SAWING

20V

60011

175,00€

 2.55
  -
  4
  128

MINI CIRCULAR SAW



TECHNICAL SPECIFICATIONS

Voltage	20V
Nominal speed	4000RPM
Diameter of disc	115mm
Maximum Cutting Depth	42,80mm, 0°/28mm, 45°
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	2,55Kg
Dimensions (LxWxH)	390x75x120mm

SPARE PARTS

14986 4,00€

CIRCULAR SAW BLADE 24T 115MM FOR WOOD FOR REF. 60011

 0.10
  20
  100
  3600



14989 6,00€


CIRCULAR SAW BLADE 24T 115MM FOR METAL FOR REF. 60011

 0.10
  20
  100
  3600



60022

470,00€

 11.40
  -
  1
  9

SLIDE MITRE SAW



TECHNICAL SPECIFICATIONS

Voltage	20V
Nominal speed	3500RPM
Diameter of disc	185mm
Maximum Cutting Depth	152-205mm/38-50mm, 45-90°
LED	LÁSER/LASER
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	11,40Kg
Dimensions (LxWxH)	580x490x320mm

SPARE PARTS

14987 8,50€

CIRCULAR SAW BLADE 40T 185MM FOR WOOD FOR REF. 60022

 0.30
  20
  40
  2200



14990 10,50€

CIRCULAR SAW BLADE 40T 185MM FOR METAL FOR REF. 60022

 0.30
  20
  40
  2200



60065

899,00€



3T LOW-PROFILE BATTERY-POWERED HYDRAULIC TROLLEY JACK

TECHNICAL SPECIFICATIONS

Capacity	3T
Compatible with	60013, 60015, 60016, 60017
Voltage	20V
LED	No
Minimum height	85mm
Maximum height	508mm
Lifting time (no load)	18-20s
Descent time (no load)	7-10s
Lifting time (with load)	48-60s
Descent time (with load)	10-12s
Weight	41,00Kg
Dimensions (LxWxH)	770x355x1107mm



60076

619,50€



3T BATTERY-POWERED TROLLEY HYDRAULIC JACK

TECHNICAL SPECIFICATIONS

Capacity	3T
Compatible with	60013, 60015, 60016, 60017
Voltage	20V
LED	No
Minimum height	127mm
Maximum height	463mm
Lifting time (no load)	16-18s
Descent time (no load)	5-10s
Lifting time (with load)	44-57s
Descent time (with load)	5-10s
Weight	32,50Kg
Dimensions (LxWxH)	649x348x1030mm



SAWING

20V

60041

77,00€


 1.60 4 216

BRUSHLESS OSCILLATING MULTI TOOL UNIT







TECHNICAL SPECIFICATIONS

Voltage	20V
Nominal speed	5000, 19000RPM
Speeds	6
Oscillation angle	4,2°
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,60Kg
Dimensions (LxWxH)	290x75x85mm



SPARE PARTS

SAW BLADES

REF.	mm	FOR					€
15680	20mm	FOR SOLID WOOD, ABRASIVE WOOD AND METALS	0.02	40	240	30720	4,70€
15682	35mm	FOR SOLID WOOD, ABRASIVE WOOD AND METALS	0.05	40	240	30720	4,70€
15683	35mm	FOR WOOD	0.01	40	240	30720	2,50€
15684	64mm	FOR IRON, STEEL, TILES, BRICKS AND GLASS	0.02	20	120	8400	7,70€
15685	80mm	FOR SOLID WOOD, ABRASIVE WOOD AND METALS	0.02	40	240	30720	9,50€
15686	88mm	FOR WOOD	0.05	20	120	8400	3,70€




OTHER

REF.	DESCRIPTION					€
15687	SCRAPER 50X72MM (REF.60041)	0.10	40	240	30720	2,50€
15688	BAG OF 20 SANDER PAPER 80X80X80MM - GRANO 60/80/100/120/240 (REF.60041)	0.05	10	100	3600	5,30€
15689	SANDER PAD 79X79X79MM (REF.60041)	0.05	10	100	3600	4,00€



60042

106,00€

 1.00  -  4  240

CORDLESS HEAT GUN



TECHNICAL SPECIFICATIONS

Voltage	20V
Power	80W
Outlet temperature	550°C
Nozzle diameter	34mm
Air flow	200L/min
LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,00Kg
Dimensions (LxWxH)	205x65x164mm

60004

79,00€

 1.45  -  4  96

LED WORK LIGHT



TECHNICAL SPECIFICATIONS

Voltage	20V
Power	1200-2400Lm
Lighting modes	2
LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,45Kg
Dimensions (LxWxH)	215x175x200mm

60035

30,00€

 0.40  -  5  475

PORTABLE WORKING LED LIGHT



TECHNICAL SPECIFICATIONS

Voltage	20V
Power	500-1000Lm
Lighting modes	3
LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	0,40Kg
Dimensions (LxWxH)	70x80x185mm

SAWING

20V

60067

515,50€

 7.50
  -
  1
  18

BATTERY-POWERED ELECTRIC BRAKE BLEEDER



TECHNICAL SPECIFICATIONS

Operating pressure	0,6-3,0BAR
Voltage	12-24V DC / 110-220V AC
Power	48W
Adapters	17
Flow rate	2,2LPM
Compatible with	60012, 60013, 60015
Weight	7,50Kg
Dimensions (LxWxH)	240x200x280mm

60001

88,00€

 1.70
  -
  4
  64





HANDHELD VACUUM CLEANER



TECHNICAL SPECIFICATIONS

Voltage	20V
Power	3,8KPA
Tank capacity	500ml
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,70Kg
Dimensions (LxWxH)	410x100x140mm

SPARE PARTS

REF.	DESCRIPTION					€
14950	A EXTENSION TUBE FOR REF. 60001	0.08	5	10	-	6,50€
14951	B CREVICE NOOZLE FOR REF. 60001	0.01	-	10	-	9,50€
14952	C FLOOR NOZZLE FOR REF. 60001	0.15	-	5	-	19,00€
14953	D BRUSH NOZZLE FOR REF. 60001	0.05	-	10	-	8,50€



14950



14951



14952



14953

60037C

348,00€

8.00 - 4 16

NAIL GUN WITH STORAGE CASE



TECHNICAL SPECIFICATIONS


Voltage	20V
Capacity	100 Clavos/Nails
LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	3,60Kg
Dimensions (LxWxH)	292x94x259mm

IT INCLUDES

REF.	DESCRIPTION					€
60037	NAIL GUN	3.60	-	4	128	222,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

SPARE PARTS

18 GA BRAD NAIL SETS



REF.	DESCRIPTION				€
53999	25x1,25mm (1000PCS)	0.20	-	50	2,10€
54000	30x1,25mm (1000PCS)	0.25	-	50	2,50€
54002	38x1,25mm (1000PCS)	0.30	-	50	3,05€

18 GA NARROW CROWN STAPLE SETS



REF.	DESCRIPTION				€
54008	25x6mm (1000PCS)	0.45	-	40	4,10€
54010	30x6mm (1000PCS)	0.55	-	40	5,10€
54011	38x6mm (1000PCS)	0.65	-	40	6,00€

60032C

266,00€

5.00 - 4 16

BATTERY CAULKING GUN WITH STORAGE CASE



TECHNICAL SPECIFICATIONS

Voltage	20V
Maximum thrust force	2500N
Feed rate	0,5-8 mm/s (30-480mm/min)
Cartridge capacity	300ml
Speed	Ajustable/Adjustable
LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,60Kg
Dimensions (LxWxH)	420x70x270mm

IT INCLUDES

REF.	DESCRIPTION					€
60032	BATTERY CAULKING GUN	1.95	-	4	80	123,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

60038C

411,00€







BATTERY-POWERED GREASE GUN WITH CARRYING CASE



TECHNICAL SPECIFICATIONS

Voltage	20V
Maximum pressure	620BAR
Volume/flow rate	200g/min
Cartridge capacity	420g
Bulk grease capacity	600g
Bulk grease capacity	Hasta/Up to NLGI#2
Length	760mm
Charging modes	Granel/Bulk, Cartucho/Cartridge, Succión/Suction
LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	3,60Kg
Dimensions (LxWxH)	400x90x270mm


IT INCLUDES

REF.	DESCRIPTION					€
60038	BATTERY-POWERED GREASE GUN	3.90	-	4	56	255,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€



60003C

250,00€







ELECTRIC AIR COMPRESSOR PUMP WITH STORAGE CASE



TECHNICAL SPECIFICATIONS

Voltage	12-20V
Air flow	12-380L/min
Maximum air pressure	160PSI/11BAR/1100KPA
High-pressure hose length	760mm
High-capacity hose length	460mm
LED	Si/Yes
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,52Kg
Dimensions (LxWxH)	240x210x130mm

IT INCLUDES

REF.	DESCRIPTION					€
60003	ELECTRIC AIR COMPRESSOR PUMP	1.85	-	4	100	121,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

60043C

252,00€

 6.00  -  4  16





CORDLESS PAINT SPRAYER WITH STORAGE CASE



TECHNICAL SPECIFICATIONS

Voltage	20V
Power	280W
Tank capacity	900ml
Nozzle diameter	2,5mm
Spray distance	200mm
Spraying capacity	700ml/min
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	1,70Kg
Dimensions (LxWxH)	350x120x300mm

IT INCLUDES

REF.	DESCRIPTION					€
60043	CORDLESS PAINT SPRAYER	1.70	-	3	90	123,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€



60068

42,00€

 0.40  5  20  160

SUPER-FAST BATTERY-POWERED SOLDERING IRON



TECHNICAL SPECIFICATIONS


Voltage	20V
Operating temperature	180-480°C
Screen	Sí/Yes
Cable lenght	1m
Protection	Apagado automático/Auto-sleep
Weight	0,40Kg
Dimensions (LxWxH)	160x110x105mm

SPECIAL TOOLS

20V

60063C

319,00€

 3.78
  -
  4
  60





BATTERY POWERED PRUNING SHEARS WITH CASE



TECHNICAL SPECIFICATIONS

Voltage	20V
Cutting capacity	0, 15, 25, 30mm
Force	2600N
Material	SK5
LED	No
Protection	Doble sistema/Double system
Compatible with	60012, 60013, 60015
Includes	60013, 60016
Weight	1,50Kg
Dimensions (LxWxH)	105x77x310mm

IT INCLUDES

REF.	DESCRIPTION					€
60063	BATTERY POWERED PRUNING SHEARS	1.10	-	10	180	123,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€



60071

140,00€

 0.80
  -
  10
  120

CORDLESS AIR BLOWER FOR VEHICLE DRYING



TECHNICAL SPECIFICATIONS

Voltage	20V
Air flow	55m/s
RPM (Revolutions per minute)	22500-35000
Air flow rate	10,4CFM (294L/min)
Diameter	2,5"
Compatible with	60013, 60015
Weight	0,80Kg
Dimensions (LxWxH)	168x116x255mm

60029

240,00€

 4.10  -  1  50

BRUSHLESSTO BATTERY CHAINSAW



TECHNICAL SPECIFICATIONS

Voltage	20V
Power	720W
Chain speed	7,8m/s
Blade length	254mm
Cutting length	220mm
Chain pitch	9,5mm (3/8")
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	4,10Kg
Dimensions (LxWxH)	600x225x245mm

60030

112,00€

 2.55  -  1  28

BATTERY BLOWER



TECHNICAL SPECIFICATIONS

Voltage	20V
Power	280W
Air flow rate	312m3/h, 520m3/h
Sound power (Lw)	90dB
No-load speed	15.000RPM
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	2,55Kg
Dimensions (LxWxH)	407x205x285mm

60031

142,00€

 3.45  -  1  24

BATTERY HEDGE TRIMMER



TECHNICAL SPECIFICATIONS


Voltage	20V
Power	230W
No-load speed	1450RPM
Length of the saw	457mm
Cutting capacity	18mm
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	3,45Kg
Dimensions (LxWxH)	920x215x192mm

GARDENING

20V

60040

440,00€


 10.35 1 - 1 19

ELECTRIC 4-IN-1 GARDEN MULTI FUNCTION TOOL



TECHNICAL SPECIFICATIONS

Voltage	20V
Pole Saw	4500RPM
Hedge trimmer	1200RPM
Thread head	7000RPM
Cutting disc	7000RPM
Maximum length	2,25m
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	10,35Kg

60045

298,00€


 13.40 1 - 1 8

CORDLESS LAWN MOWER



TECHNICAL SPECIFICATIONS

Voltage	40V
Power	800W
Capacity	35L
Cutting height	25-75mm
Cutting diameter	370mm
LED	No
Compatible with	60013, 60016, 60017
Weight	13,40Kg
Dimensions (LxWxH)	680x450x320mm

60039

265,00€


 3.30 1 - 2 36

BRUSHLESS ELECTRIC PRESSURE WASHER GUN



TECHNICAL SPECIFICATIONS

Voltage	20V
Precision	355PSI
Maximum flow rate	2,4L/min
Minimum flow rate	2,0L/min
LED	No
Compatible with	60012, 60013, 60015, 60016, 60017
Weight	3,30Kg
Dimensions (LxWxH)	430x75x220mm

60027

99,00€

 5.65  -  1  15

BACKPACK SPRAYER 15L REF. 60027



TECHNICAL SPECIFICATIONS

Voltage	20V
Tank capacity	15L
Operating pressure	0,3-0,45Mpa
Spray distance	1-1,2m
LED	No
Compatible with	60012, 60013, 60016, 60017
Weight	5,65Kg
Dimensions (LxWxH)	350x170x660mm

54252

199,00€

 10.80  -  1  12

MANUAL PUSH SWEEPER



TECHNICAL SPECIFICATIONS

Capacity	20L
Maximum sweep speed	180m2/h
Disc brush diameter	260mm
Cylindrical brush size	108x350mm
Weight	10,80Kg
Dimensions (LxWxH)	1200x650x980mm
Folded dimensions	625x548x290mm

52598

1.080,00€

 1700  -  1  24

ROBOTIC LAWN MOWER



TECHNICAL SPECIFICATIONS


Voltage	240V
Power	115,44W
Battery	5200mAh
Cutting height	25-55mm
Cutting diameter	180mm
LED	No
Movement	22m/min
Weight	7,50Kg
Dimensions (LxWxH)	500x355x240mm

SCREWDRIVING

12V

60062C

216,00€

 3.20
  -
  4
  72





12V BRUSHLESS RATCHET 1/2" WITH STORAGE CASE



TECHNICAL SPECIFICATIONS

Square measure	1/2"
Voltage	12V
Power	360W
Max. tightening torque	80Nm
Max. breaking torque (untightening)	80Nm
Nominal speed	175RPM
LED	Si/Yes
Compatible with	60025, 60026
Weight	1,17Kg
Dimensions (LxWxH)	69,9x50x310,3mm

IT INCLUDES

REF.	DESCRIPTION					€
60062	1/2" BRUSHLESS RATCHET -12V	1.90	-	5	150	169,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

60059C

167,00€

 3.00
  -
  4
  72

BRUSHLESS IMPACT WRENCH 3/8" 250NM WITH STORAGE CASE



TECHNICAL SPECIFICATIONS

Square measure	3/8"
Voltage	12V
Power	435W
Max. breaking torque (untightening)	250Nm
Nominal speed	1200, 1800, 2700RPM
IPM Impulses	1100, 2100, 3200
Speeds	3
LED	Si/Yes
Compatible with	60025, 60026
Weight	0,95Kg
Dimensions (LxWxH)	126x69x184mm

IT INCLUDES

REF.	DESCRIPTION					€
60059	BRUSHLESS IMPACT WRENCH 3/8" 250NM	1.15	-	5	36	99,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

60060C

165,00€

3.00 - 4 72

BRUSHLESS IMPACT DRIVER 1/4" 150NM WITH STORAGE CASE



TECHNICAL SPECIFICATIONS

Square measure	1/4"
Voltage	12V
Power	396W
Max. breaking torque (untightening)	150Nm
Nominal speed	1200, 1800, 2700RPM
IPM Impulses	1100, 2100, 3200
Speeds	3
LED	Si/Yes
Compatible with	60025, 60026
Weight	0,95Kg
Dimensions (LxWxH)	126x69x184mm

IT INCLUDES

REF.	DESCRIPTION					€
60060	BRUSHLESS IMPACT DRIVER 1/4" 150NM	0.95	-	5	36	99,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

60058C

154,00€

2.80 - 4 72

12V BRUSHLESS HAMMER DRILL WITH STORAGE CASE



TECHNICAL SPECIFICATIONS

Voltage	12V
Power	350W
Maximum torque	45Nm
Nominal speed	1700RPM
Impact rate	6750, 25500BPM
Ø drilling in concrete	8mm
Ø of steel drilling	10mm
Ø drilling in wood	25mm
Speeds	2
Chuck size	Ø10mm
LED	Si/Yes
Compatible with	60025, 60026
Weight	0,88Kg
Dimensions (LxWxH)	168x185x56mm

IT INCLUDES

REF.	DESCRIPTION					€
60058	12V BRUSHLESS HAMMER DRILL	1.00	-	5	70	91,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

SANDING/POLISHING 12V

60061C

149,00€



12V CORDLESS CUT-OFF TOOL WITH STORAGE CASE



IT INCLUDES

REF.	DESCRIPTION					€
60061	12V CORDLESS CUT-OFF TOOL	0.56	-	5	45	77,00€
60013	4.0 AH LI-ION BATTERY	0.75	-	5	700	80,00€
60016	20V CHARGER - 4A	0.80	-	5	210	49,00€

TECHNICAL SPECIFICATIONS

Voltage	12V	Vibrations per minute	18.500/min
Power	165W	LED	No
Nominal speed	18500RPM	Compatible with	60025, 60026
Disc diameter	76mm	Weight	0,56Kg
Shaft diameter	M5	Dimensions (LxWxH)	163x113x89mm

SPARE PARTS

17543 1,60€
CUTTING DISC 76X1,2MM REF. 60061
 0.24 - 20 400

17544 5,00€
CARBIDE MULTI DISC 76X1,0MM REF. 60061
 0.68 - 20 9999

17545 3,75€
DIAMOND CUTTING DISC 76X1,6MM REF. 60061
 0.79 - 20 -



60055

78,00€

1.01 - 4 144

BATTERY OPERATED WIRELESS RADIO – 12V



TECHNICAL SPECIFICATIONS

Voltage	12V
Power	10W
Compatible with	60025, 60026
Bluetooth connectivity	15m
Weight	1,01Kg
Dimensions (LxWxH)	197x138x106mm
Battery included	No

60056

142,00€

1.10 - 4 72

12V MINI CHAINSAW



TECHNICAL SPECIFICATIONS

Voltage	12V
Power	230W
Nominal speed	8m/s
Maximum cutting capacity	100mm
Saw length	160mm
LED	No
Compatible with	60025, 60026
Weight	1,10Kg
Dimensions (LxWxH)	135x100x390mm

SPARE PARTS

17706 17,10€

CHAIN FOR MINI SAW REF. 60056

0.49 - 20 9999



BATTERIES AND CHARGERS

BATTERIES AND CHARGERS

60012 48,00€
2.0 AH LI-ION BATTERY

 0.45  -  5  920



Battery type	LI-ION
Voltage	DC-20V
Capacity	2.0Ah
Weight	0,45Kg
Compatible with	60016, 60017

60013 80,00€
4.0 AH LI-ION BATTERY

 0.75  -  5  700



Battery type	LI-ION
Voltage	DC-20V
Capacity	4.0Ah
Weight	0,75Kg
Compatible with	60016, 60017

60015 138,00€
6.0AH LI-ION BATTERY

 1.00  -  5  630



Battery type	LI-ION
Voltage	DC-20V
Capacity	6.0Ah
Weight	1,00Kg
Compatible with	60016, 60017

60016 49,00€
20V CHARGER - 4A

 0.80  -  5  210



Voltage	DC-20V
Charging inlet	100-240V AC 50/60Hz
Load output	4A
Charging time	2Ah 30+/- 10min / 4Ah 60+/-15min / 6Ah 90+/- 15min
Weight	0,80Kg

60017 64,00€
20V FAST CHARGER - 6A

 0.80  -  5  290



Voltage	DC-20V
Charging inlet	100-240V AC 50/60Hz
Load output	6A
Charging time	2Ah 30+/- 10min / 4Ah 45+/-10min / 6Ah 60+/- 15min
Weight	0,80Kg

60069 59,00€
BATTERY-POWERED WIRELESS CHARGER

 0.16  5  20  5460



Voltage	20V
Power output	15W
Compatible with	60012, 60013, 60015
Charging port	Sin contacto/Wireless/USB-A/USB-C
Brightness	360Lm
Lighting modes	2
Weight	0,16Kg
Dimensions (LxWxH)	109x75x40mm

60066 28,00€
20V CHARGER - 2A

 0.38  1  5  300



Voltage	DC-20V
Charging inlet	100-240V AC 50/60Hz
Load output	2A
Charging time	2Ah 50+/- 10min / 4Ah 90+/-15min / 6Ah 150+/- 15min
Weight	0,38Kg

BATTERIES AND CHARGERS



60025 34,00€
12V CHARGER – FOR REF. 60026

0.30 5 4 700

60026 40,50€
2.0 AH LI-ION BATTERY

0.20 5 40 1400



Voltage	12V
Charging inlet	100-240V AC 50/60Hz
Load output	2A
Charging time	60 +/-10min (60026)
Weight	0,30Kg



Battery type	LI-ION
Voltage	12V
Capacity	2.0Ah
Weight	0,20Kg
Compatible with	60025

A SINGLE BATTERY SUITABLE FOR ALL TOOLS



BATTERIES AND CHARGERS




54769

0.49
 5
 20
 720

1/4" CORDLESS RATCHET - 3.6V WITH CHARGER

Square measure	1/4"
Voltage	3,6V
Power	7,2W
Maximum motor torque	3Nm
Maximum manual torque	62,3Nm
Nominal speed	320RPM
LED	Si/Yes
Charger	USB Tipo C/ USB Type C
Battery type	Lithium-ION/Litio-ION 3,6V, 2,0Ah
Dimensions (LxWxH)	35x215x35mm



54860

1.40
 6
 24
 480

3-SPEED WIRELESS ELECTRIC SCREWDRIVER AND BIT SET

Axle size	1/4"
Voltage	4V
Max. tightening torque	5Nm
Nominal speed	300RPM
Battery	LI-ION 1500mAh
Speeds	3
Weight	1,40Kg
Dimensions (LxWxH)	183x35x35mm



54683

1.00
 -
 5
 180

CORDLESS SCREWDRIVER WITH BIT SET

Square measure	1/4"
Voltage	3,6V
Max. tightening torque	6Nm
Nominal speed	210RPM
Battery	LI-ION 1300mAh
LED	Si/Yes
Weight	1,00Kg
Dimensions (LxWxH)	180x45x145mm





www.jbmcamp.com



JBMprofessionaltools



@jbmtools



jbmtools



jbm_tools



JBM Campllong S.L.

