





K&I MARILIA
TRADING LTD




2026


HYDRAULIC

53725**248,00€****3T HYDRAULIC TROLLEY JACK - HEAVY DUTY WITH FAST PUMP SYSTEM**

Capacity	3T
Minimum height	133mm
Maximum height	465mm
Height Adjustment	Rápida/Fast
Compliance with the European directive	EN 1494:2001+A1
Weight	30,70Kg
Dimensions (LxWxH)	682x155x344mm

50818**198,00€****3.5T HYDRAULIC TROLLEY JACK - HEAVY DUTY**


Capacity	3,5T
Minimum height	133mm
Maximum height	495mm
Compliance with the European directive	EN 1494:2000
Weight	35,80Kg
Dimensions (LxWxH)	685x180x346mm

53422**368,00€****3T HYDRAULIC JACK WITH LIFTING PEDAL**


Capacity	3T
Minimum height	100mm
Maximum height	533mm
Compliance with the European directive	EN1494:2000+A1
Weight	44,50Kg
Dimensions (LxWxH)	778x165x372mm

50815**88,00€****2T HYDRAULIC HANDCART JACK**

Capacity	2T
Minimum height	130mm
Maximum height	355mm
Compliance with the European directive	EN1494:2000+A1
Weight	10,75Kg
Dimensions (LxWxH)	490x140x205mm

53112**298,00€****3T HYDRAULIC TROLLEY JACK WITH PEDAL**

Capacity	3T
Minimum height	140mm
Maximum height	520mm
Compliance with the European directive	EN1494:2000+A1
Weight	39,95Kg
Dimensions (LxWxH)	720x185x345mm

51895**99,00€****2T HEAVY DUTY TROLLEY JACK IN PLASTIC BOX**

Capacity	2T
Minimum height	130mm
Maximum height	355mm
Compliance with the European directive	EN1494
Weight	11,68Kg
Dimensions (LxWxH)	490x140x205mm

50816

88,00€



2T HEAVY DUTY TROLLEY JACK - LOW CARS



Capacity	2T
Minimum height	85mm
Maximum height	330mm
Compliance with the European directive	EN1494+A1
Weight	11,25Kg
Dimensions (LxWxH)	508x125x208mm

54137

288,00€



2.5T HEAVY DUTY TROLLEY JACK - LOW CARS



Capacity	2,5T
Minimum height	78mm
Maximum height	505mm
Compliance with the European directive	EN1494:2000+A1
Weight	30,65Kg
Dimensions (LxWxH)	740x150x350mm

53421

298,00€



2T HEAVY DUTY TROLLEY JACK - LOW CARS



Capacity	2T
Minimum height	75mm
Maximum height	505mm
Compliance with the European directive	EN1494
Weight	33,50Kg
Dimensions (LxWxH)	740x150x360mm

54786

319,00€



3T HEAVY DUTY TROLLEY JACK LOW CARS



Capacity	3T
Minimum height	75mm
Maximum height	505mm
Compliance with the European directive	EN 1494:2000+A1
Weight	35,50Kg
Dimensions (LxWxH)	738x353x156mm

60065

899,00€




3T LOW-PROFILE BATTERY-POWERED HYDRAULIC TROLLEY JACK

Capacity	3T
Compatible with	60013, 60015, 60016, 60017
Voltage	20V
LED	No
Minimum height	85mm
Maximum height	508mm
Lifting time (no load)	18-20s
Descent time (no load)	7-10s
Lifting time (with load)	48-60s
Descent time (with load)	10-12s
Weight	41,00Kg
Dimensions (LxWxH)	770x355x1107mm



54516

940,00€



20/40T TELESCOPIC OIL-PNEUMATIC TROLLEY JACK




SPARE PARTS AVAILABLE



Capacity	20/40T
Minimum height	150mm
Maximum height	227-295mm
Compliance with the European directive	ENISO12100, EN1494
Adapters	35-65mm
Air intake	1/4"
Operating pressure	7-10BAR
Real air consumption	95CFM
Weight	40,75Kg
Dimensions (LxWxH)	900x290x1195mm

54517

1.184,00€



15/20/40T TELESCOPIC OIL-PNEUMATIC TROLLEY JACK




SPARE PARTS AVAILABLE




Capacity	15/25/40T
Minimum height	125mm
Maximum height	185-240-301mm
Compliance with the European directive	ENISO12100, EN1494
Adapters	35-65mm
Air intake	1/4"
Operating pressure	7-10BAR
Real air consumption	95CFM
Weight	43,30Kg
Dimensions (LxWxH)	918x285x1195mm

54751

617,00€



22T TELESCOPIC OIL-PNEUMATIC TROLLEY JACK



SPARE PARTS AVAILABLE



Capacity	22T
Minimum height	228mm
Maximum height	548mm
Adapters	20-60-90mm
Air intake	1/4"
Operating pressure	7-10BAR
Real air consumption	95CFM
Extensible	110mm
Weight	44,00Kg
Dimensions (LxWxH)	1390x575x322mm

**54916**

88,50€



3.5T HYDRAULIC JACK SUPPORT



Material	Q235+45carbon steel
Capacity	3,5T
Minimum height	230mm
Maximum height	380mm
Weight	1,95Kg
Dimensions (LxWxH)	64x48x227mm

54757

144,00€



CROSS BRACKET FOR HYDRAULIC JACK 2T



Compatible with	50818, 53112
Capacity	1350-2000Kg
Lenght	700-925mm
Working height	50-130mm
Weight	10,60Kg
Dimensions (LxWxH)	700x120x140mm

50819

28,00€

2.42

-

6

300

Kg

EUR

1

EUR

2T BOTTLE JACK

50820

34,50€

3.20

-

6

300

Kg

EUR

1

EUR

3 TON BOTTLE JACK

50821

47,00€

4.10

-

5

250

Kg

EUR

1

EUR

BOTTLE JACK 5T

50822

59,00€

5.60

-

4

200

Kg

EUR

1

EUR

BOTTLE JACK 10T



Capacity	2T
Minimum height	181mm
Maximum height	345mm
Weight	2,43Kg
Dimensions (LxWxH)	95x110x190mm



Capacity	3T
Minimum height	194mm
Maximum height	371mm
Weight	3,20Kg
Dimensions (LxWxH)	105x110x210mm



Capacity	5T
Minimum height	216mm
Maximum height	413mm
Weight	4,10Kg
Dimensions (LxWxH)	120x115x230mm



Capacity	10T
Minimum height	230mm
Maximum height	460mm
Weight	5,60Kg
Dimensions (LxWxH)	135x135x240mm

52304

86,00€

7.20

-

2

136

Kg

EUR

1

EUR

BOTTLE JACK 15 TON

50823

94,00€

9.75

-

2

96

Kg

EUR

1

EUR

20T BOTTLE JACK

50824

88,00€

8.47

-

2

120

Kg

EUR

1

EUR

20T BOTTLE JACK -
LOW CARS

50825

154,00€

14.00

-

2

96

Kg

EUR

1

EUR

30T BOTTLE JACK



Capacity	15T
Minimum height	230mm
Maximum height	460mm
Weight	7,20Kg
Dimensions (LxWxH)	125x145x235mm



Capacity	20T
Minimum height	242mm
Maximum height	452mm
Weight	9,75Kg
Dimensions (LxWxH)	175x165x250mm



Capacity	20T
Minimum height	190mm
Maximum height	335mm
Weight	8,47Kg
Dimensions (LxWxH)	175x160x200mm



Capacity	30T
Minimum height	285mm
Maximum height	465mm
Weight	14,00Kg
Dimensions (LxWxH)	140x150x290mm

51905

34,50€

2.90

-

6

144

Kg

EUR

1

EUR

2T BOTTLE JACK IN PLASTIC
BOX

51906

39,00€

3.53

-

4

112

Kg

EUR

1

EUR

3T BOTTLE JACK IN PLASTIC
BOX

51907

48,00€

4.59

-

4

128

Kg

EUR

1

EUR

5T BOTTLE JACK IN PLASTIC
BOX



Capacity	2T
Minimum height	181mm
Maximum height	345mm
Weight	2,90Kg
Dimensions (LxWxH)	110x165x245mm



Capacity	3T
Minimum height	194mm
Maximum height	371mm
Weight	3,53Kg
Dimensions (LxWxH)	110x170x280mm



Capacity	5T
Minimum height	216mm
Maximum height	413mm
Weight	4,59Kg
Dimensions (LxWxH)	200x130x290mm

53895**117,00€****3T HEAVY DUTY FARM JACK 510MM**SPARE PARTS
AVAILABLE

Capacity	3T
Minimum height	130mm
Maximum height	510mm
Weight	10,00Kg
Dimensions (LxWxH)	510x265x140mm

53896**142,00€****3T HEAVY DUTY FARM JACK 840MM**SPARE PARTS
AVAILABLE

Capacity	3T
Minimum height	130mm
Maximum height	645mm
Weight	11,50Kg
Dimensions (LxWxH)	840x265x140mm

53897**159,50€****3T HEAVY DUTY FARM JACK 1220MM**SPARE PARTS
AVAILABLE

Capacity	3T
Minimum height	130mm
Maximum height	1045mm
Weight	14,00Kg
Dimensions (LxWxH)	1220x265x140mm

53898**174,50€****3T HEAVY DUTY FARM JACK 1520MM**SPARE PARTS
AVAILABLE

Capacity	3T
Minimum height	130mm
Maximum height	1320mm
Weight	16,00Kg
Dimensions (LxWxH)	1520x265x140mm

54001**285,00€****TELESCOPING HYDRAULIC JACK 0,5T**SPARE PARTS
AVAILABLEVIDEO
TUTORIAL


Pieces	1
Capacity	500Kg
Minimum height	1100mm
Maximum height	1900mm
Weight	28,50Kg
Headboard measurements	650x650x1100mm

50830**560,00€****TELESCOPING HYDRAULIC JACK 0,5T**SPARE PARTS
AVAILABLE

Pieces	1
Capacity	500Kg
Minimum height	850mm
Maximum height	1740mm
Weight	52,10Kg
Dimensions (LxWxH)	970x970x900mm

53779

36,00€



2 UNITS 3T AXLE STANDS SET



Pieces	2
Capacity	3T
Minimum height	290mm
Maximum height	430mm
Weight	4,85Kg
Dimensions (LxWxH)	200x200x290mm

53845

64,00€



2 UNITS 6T AXLE STANDS SET



Pieces	2
Capacity	6T
Minimum height	370mm
Maximum height	610mm
Weight	8,90Kg
Dimensions (LxWxH)	270x235x370mm

54143

249,00€




SET OF 2 JACK STANDS 12 TON (500-770 MM)



Pieces	2
Capacity	12T
Minimum height	500mm
Maximum height	770mm
Weight	35,50Kg
Dimensions (LxWxH)	372x327x505mm

54145

389,00€



SET OF 2 JACK STANDS 10 TON (482-775MM)



Pieces	2
Capacity	10T
Minimum height	482mm
Maximum height	775mm
Weight	37,90Kg
Dimensions (LxWxH)	410x410x482mm

54146

492,00€



SET OF 2 JACK STANDS 10 TON (736-1212MM)



Pieces	2
Capacity	10T
Minimum height	736mm
Maximum height	1212mm
Weight	44,00Kg
Dimensions (LxWxH)	406x406x736mm

54144

298,00€



SET OF 2 JACK STANDS 22T (338-500MM)



Pieces	2
Capacity	22T
Minimum height	338mm
Maximum height	500mm
Weight	28,00Kg
Dimensions (LxWxH)	250x250x338mm

54147

199,00€




AXLE STAND 1.8T (1220-2146MM)



Pieces	1
Capacity	1.8T
Minimum height	1220mm
Maximum height	2146mm
Weight	18,00Kg
Dimensions (LxWxH)	620x520x1220mm

51901

999,00€



CAR TYRE DOLLY 1T



Capacity	1T
Minimum height	50mm
Maximum height	320mm
Maximum wheel diameter	1320mm
Weight	75,00Kg
Dimensions (LxWxH)	1040x1090x890mm

52241

1.690,00€




HEAVY DUTY WHEEL DOLLY FOR TRACTOR TYRES 1.5T



Capacity	1,5T
Minimum height	0mm
Maximum height	770mm
Maximum wheel diameter	2200mm
Weight	155,00Kg
Dimensions (LxWxH)	1270x990x1340mm

53218

26,00€



SCISSOR JACK 1.5T



Pieces	2
Capacity	1,5T
Minimum height	90mm
Maximum height	370mm
Weight	2,25Kg
Dimensions (LxWxH)	430x90x90mm

50835

298,00€




HYDRAULIC INDUSTRIAL PIPE BENDER 12T



Capacity	12T
Operating pressure	7,5-8,5BAR
Connectors	1/2", 3/4", 1"-1/4", 1"-1/2", 2"
Angle level	90°
Weight	38,00Kg
Dimensions (LxWxH)	680x585x185mm

54257

318,00€



HYDRAULIC HAND PUMP 1.2L



Capacity	1,2L
Maximum pressure	69BAR
Workflow	0-20Kg/cm3~20-700Kg/cm3
Connectors	3/8"NPT
Weight	11,40Kg
Dimensions (LxWxH)	750x180x270mm




53880

598,00€



MANUAL PALLET JACK QUICK LIFT 2500KG



SPARE PARTS
AVAILABLE



VIDEO
TUTORIAL




Capacity	2500Kg
Minimum lifting height	85mm
Maximum lifting height	200mm
Turning radius	1266mm
Lifting speed (with/without load)	0,0006-0,0007m/s
Type	Freno manual/Manual brake
Weight	84,50Kg
Dimensions (LxH)	1220x1150mm

54396

2.250,00€



ELECTRIC PALLET TRUCK 1500KG




SPARE PARTS
AVAILABLE



Capacity	1500Kg
Minimum lifting height	85mm
Maximum lifting height	190mm
Turning radius	1360mm
Travel speed (with/without load)	4-4,5Km/h
Lifting speed (with/without load)	0,017-0,020m/s
Power	0,75KW
Type	Freno electromagnético/Electromagnetic brake
Battery type	LI-ION
Battery voltage	24V
Battery capacity	20Ah
Charging time	3-4h
Weight	112,00Kg
Dimensions (LxH)	1190x1150mm

50839

198,00€



HYDRAULIC CAR WHEEL DOLLY 680KG



SPARE PARTS
AVAILABLE



Capacity	680Kg
Opening	345-660mm
Weight	19,20Kg
Dimensions (LxWxH)	680x625x230mm

50923

454,00€



SPECIAL PLATE TRANSPORT CART 340KG



SPARE PARTS
AVAILABLE



Capacity	340Kg
Opening	0-1100mm
Weight	41,20Kg
Dimensions (LxWxH)	1340x250x240mm

52514**88,00€**

FRONT MOTORCYCLE Paddock STAND 200KG

SPARE PARTS
AVAILABLE

Capacity	200Kg
Weight	4,00Kg
Dimensions (LxWxH)	750x400x530mm

51751**99,00€**

REAR MOTORCYCLE Paddock STAND 200KG

SPARE PARTS
AVAILABLE

Capacity	200Kg
Weight	5,00Kg
Dimensions (LxWxH)	830x400x660mm

53684**1.880,00€**

30T HYDRAULIC PRESS

SPARE PARTS
AVAILABLE

Capacity	30T
Piston stroke	150mm
Working range	166-1126mm
Speeds	2
Operated	Hidráulico manual o de pedal/Hydraulic by hand or foot
Weight	191,00Kg
Dimensions (LxWxH)	1920x750x290mm

53590**1.190,00€**

20T HYDRAULIC PRESS

SPARE PARTS
AVAILABLE

Capacity	20T
Piston stroke	145mm
Working range	58-1018mm
Speeds	2
Operated	Hidráulico manual o de pedal/Hydraulic by hand or foot
Weight	114,50Kg
Dimensions (LxWxH)	1670x730x255mm

54679**389,00€**

HYDRAULIC SHOP PRESS 10T

Capacity	10T
Piston stroke	154mm
Working range	200-370mm
Operated	Hidráulico manual/Hydraulic by hand
Working width	350mm
Piston with side shift	Si/Yes
Weight	47,00Kg
Dimensions (LxWxH)	550x500x1028mm

SPARE PARTS
AVAILABLE

52999

198,00€



HYDRAULIC PRESS SUPPORT BLOCK



Capacity	30T
Weight	7,20Kg
Dimensions (LxWxH)	245x200x40mm

50831

460,00€



COLLAPSIBLE CRANE 2T



SPARE PARTS
AVAILABLE

Capacity	2T
Folded dimensions	1480x980x800mm
Type of fluid	Aceite pistón/Piston Oil ~ SAE 32
Maximum lifting height	0-2170mm
Charging modes	4
Weight	79,50Kg
Dimensions (LxWxH)	1650x920x1480mm

54597

125,00€



BEARING INSERTION AND EXTRACTION SUPPORT BASE




Capacity	20T
Working range	130-186mm
Weight	13,00Kg
Dimensions (LxWxH)	300x300mm

52985

598,00€



COLLAPSIBLE CRANE 1T




SPARE PARTS
AVAILABLE

Capacity	1T
Folded dimensions	1470x300x180mm
Type of fluid	Aceite hidráulico/Hydraulic oil HL, HM
Maximum lifting height	85-2200mm
Charging modes	3
Weight	74,00Kg
Dimensions (LxWxH)	1400x950x1460mm

50840

138,00€



ENGINE SUPPORT 500KG (1750MM)



SPARE PARTS
AVAILABLE



Capacity	500Kg
Lenght	1750mm
Weight	20,45Kg

52055

139,00€




UNIVERSAL ENGINE SUPPORT 500KG



Capacity	500Kg
Weight	8,50Kg
Dimensions (LxWxH)	1000x500x320mm

55135**228,00€****ADJUSTABLE UNIVERSAL ENGINE SUPPORT**

Capacity	500Kg
Lenght	1700mm
Weight	23,00Kg

50631**68,00€****ENGINE LEVELER 750KG**

Capacity	750Kg
Weight	6,30Kg
Dimensions (LxWxH)	460x200x55mm

53423**199,00€****ATV JACK 680KG**SPARE PARTS
AVAILABLE

Capacity	680Kg
Minimum height	118mm
Maximum height	368mm
Weight	29,40Kg
Dimensions (LxWxH)	815x390x155mm

53969**96,00€****MOTORCYCLE STAND LIFT 150KG**

Pieces	2
Capacity	150Kg
Minimum height	300mm
Maximum height	400mm
Weight	6,00Kg
Dimensions (LxWxH)	340x310x320mm

50836**148,00€****UNIVERSAL ENGINE STAND
340KG**

Capacity	340Kg
Weight	21,00Kg
Dimensions (LxWxH)	900x800x850mm

50838**299,00€****UNIVERSAL ENGINE STAND
900KG**

Capacity	900Kg
Movement	x6 Posiciones/Positons, 360°
Weight	43,90Kg
Dimensions (LxWxH)	1100x900x900mm

52845

185,00€



SET OF 2 CAR RAMPS 1T



Pieces	2
Capacity	1T (500kg/ramp)
Lifting height	0-200mm
Weight	20,00Kg
Dimensions (LxWxH)	940x300x210mm



54386

5.839,00€



1200KG ENERGY VEHICLE BATTERY ASSEMBLING LIFT WITH BRACKETS



SPARE PARTS
AVAILABLE



VIDEO
TUTORIAL



Voltage	220V
Capacity	1200Kg
Maximum lifting height	1840mm
Minimum lifting height	650mm
Platform dimensions	1290x768mm
Dimensions of the extended platform	1400x768mm
Lifting time (no load)	24s
Descent time (no load)	140s
Including bracket	Si/Yes
Weight	418,00Kg
Dimensions (LxWxH)	1840x770x650mm

54564

5.511,00€




1200KG ENERGY VEHICLE BATTERY ASSEMBLING LIFT WITHOUT BRACKETS



SPARE PARTS
AVAILABLE




Voltage	220V
Capacity	1200Kg
Maximum lifting height	1840mm
Minimum lifting height	650mm
Platform dimensions	1290x768mm
Dimensions of the extended platform	1400x768mm
Lifting time (no load)	24s
Descent time (no load)	140s
Including bracket	No
Weight	418,00Kg
Dimensions (LxWxH)	1840x770x650mm

52692**139,00€****MOTORCYCLE STAND LIFT JACK 500KG**

Capacity	500Kg
Minimum height	95mm
Maximum height	400mm
Weight	13,20Kg
Dimensions (LxWxH)	540x350x100mm

50911**840,00€****HYDRAULIC LIFT TABLE FOR MOTORCYCLES 365KG**SPARE PARTS
AVAILABLE

Capacity	365Kg
Minimum height	205mm
Maximum height	780mm
Weight	135Kg
Dimensions (LxH)	2200x490mm

53246**1.198,00€****HYDRAULIC LIFT TABLE 360KG**


Capacity	360Kg
Minimum height	360mm
Maximum height	1290mm
Weight	104,00Kg
Dimensions (LxWxH)	712x500x1290mm

50630**590,00€****HYDRAULIC LIFT TABLE 400KG**SPARE PARTS
AVAILABLE

Capacity	400Kg
Minimum height	290mm
Maximum height	780mm
Weight	63,00Kg
Dimensions (LxWxH)	840x480x780mm


CAR LIFT RUBBER PADS

54349 8,00€




A	160mm
B	120mm
C	20mm

54350 15,00€




A	160mm
B	120mm
C	30mm

54351 16,50€




A	160mm
B	120mm
C	40mm

54352 18,00€




A	160mm
B	120mm
C	60mm

54353 25,00€




A	160mm
B	120mm
C	80mm

54354 37,00€




A	160mm
B	120mm
C	120mm

54483 16,00€




A	120mm
B	120mm
C	35mm

54484 30,50€




A	160mm
B	120mm
C	70mm

54485 42,00€




A	160mm
B	120mm
C	100mm

54355 12,00€




RAVAGLIOLI/SIRIO/SPACE				
A	123mm	D	108mm	
B	26mm	E	10mm	
C	104mm			

54360 16,50€




RAVAGLIOLI/SIRIO/SPACE				
A	130mm	D	125mm	
B	23mm	E	10mm	
C	121mm			

54486 11,00€




RAVAGLIOLI/SIRIO/SPACE				
A	100mm	D	85mm	
B	22mm	E	8,5mm	
C	81mm			

54488 17,00€




RAVAGLIOLI				
A	150mm	D	135mm	
B	25mm	E	10mm	
C	128mm			

54493 15,50€




RAVAGLIOLI				
A	120mm			
B	110mm			
C	27mm			

54494 17,00€




RAVAGLIOLI				
A	145mm			
B	135mm			
C	26mm			

54357 18,50€




TWIN BUSCH					
A	120mm	D	105mm		
B	30mm	E	8,5mm		
C	100mm	F	66mm		

54358 22,50€




TWIN BUSCH					
A	140mm	D	123mm		
B	30mm	E	10mm		
C	115mm	F	50mm		

54361 17,00€




TWIN BUSCH				
A	140mm	D	125mm	
B	28mm	E	8mm	
C	120mm			

54363 17,00€





ISTOBAL/VELYEN				
A	155mm	D	147mm	
B	24mm	E	6mm	
C	140mm			

54365 12,50€





ISTOBAL/VELYEN				
A	145mm			
B	10mm			
C	60mm			

CAR LIFT RUBBER PADS

54359 14,00€


OMCN

A 140mm
B 133mm
C 27mm

54491 20,50€


OMCN

A 145mm
B 25mm

54366 22,50€


NASSBAUM/AMI

A 125mm **D** 120mm
B 24mm
C 90mm

54362 17,00€


CASCOS

A 138mm **D** 130mm
B 25mm **E** 9mm
C 120mm

54487 17,00€


ROTARY

A 123mm **D** 112mm
B 22mm **E** 8mm
C 90,5mm

54495 21,50€


ROTARY

A 125mm
B 15mm
C 90mm

54496 20,50€


ROTARY

A 104mm **D** 80mm
B 82mm **E** 56mm
C 8mm

54497 15,50€

MAHA

A 120mm **D** 113mm
B 22mm **E** 8mm
C 102mm **F** 83mm

54492 22,50€


SLIFT/IME

A 125mm **D** 110mm
B 25mm **E** 9mm
C 102mm **F** 83mm

54356 23,00€


500E/500X/JEEP RENEGADE

A 55mm
B 100mm

54364 16,50€


LAUNCH/TWIN BUSCH/RP TOOLS

A 120mm **D** 108mm
B 32mm
C 70mm


54489 22,50€

KONI/ROMERICO/CAR-O-LINER

A 160mm **D** 153mm
B 29mm **E** 10mm
C 140mm


54490 15,00€ATH/HOFMANN/
HERMANN/J.A.B. BECKER

A 120mm **D** 110mm
B 19mm **E** 4mm
C 103mm

54761 56,50€


TESLA

A 130mm **E** 20mm
B 80mm **F** 120mm
C 58mm **G** 30mm
D 17mm **H** 16mm

54762 59,00€

TESLA

A 150mm **E** 20mm
B 80mm **F** 140mm
C 58mm **G** 30mm
D 17mm **H** 16mm

54763 60,50€

TESLA

A 170mm **E** 20mm
B 80mm **F** 160mm
C 58mm **G** 30mm
D 17mm **H** 16mm

54175

SET OF 4 TESLA LIFTING PADS

Brands	Tesla 3/Y/S/X
Weight	0,80Kg
Dimensions (LxWxH)	200x200x60mm

34,00€

