





ELECTRICAL SUPPLIES



54091

441,00€




26 PIECES INSULATED TOOL CASE



3/8"	x10	8, 10, 11, 12, 13, 14, 16, 17, 19, 22mm
3/8"	x1	200mm
1/2"	x1	125mm
3/8"	x1	200mm
	x2	4x100, 5x125mmL
	x2	PH1x80, PH2x100mm
	x1	185mm
	x1	
	x6	7x86, 8x99, 10x109, 12x127, 14x141, 17x156mm
	x1	185mm

54093

441,00€



MODULE OF 26 PIECES OF INSULATED TOOLS



3/8"	x10	8, 10, 11, 12, 13, 14, 16, 17, 19, 22mm
3/8"	x1	200mm
1/2"	x1	125mm
3/8"	x1	200mm
	x2	4x100, 5x125mmL
	x2	PH1x80, PH2x100mm
	x1	185mm
	x1	
	x6	7x86, 8x99, 10x109, 12x127, 14x141, 17x156mm
	x1	185mm

53154

462,00€




20 PIECES INSULATED TOOL CASE




3/8"	x12	8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22mm
3/8"	x1	200mm
3/8"	x2	125, 250mm
3/8"	x1	200mm
3/8"	x4	4, 5, 6, 8mm (75mm)

52519

25,50€




7 PIECES INSULATED SCREWDRIVERS 1000V



	x2	PH00x50, PH0x50mm
	x5	SL1.5x0.23x50, SL1.8x0.30x50, SL2.0x0.40x50, SL2.5x0.40x50, SL3.0x0.50x50mm

15162

32,50€




MODULE OF 8 INSULATED SCREWDRIVERS VDE



	x4	0.5x3.0x75, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150mm
	x3	PH0x75, PH1x80, PH2x100mm
	x1	SL3x140mm

54562

68,50€



SET OF 25 PIECES INSULATED INTERCHANGABLE SCREWDRIVERS




	x3	PH0x75, PH1x100, PH2x100mm
	x3	PZ0x75, PZ1x100, PZ2x100mm
	x6	SL2.5x75, SL3.0x75, SL3.5x75, SL4.0x100, SL5.5x100, SL6.5x100
	x11	T5x75, T6x75, T7x75, T8x75, T9x75, T10x75, T15x75, T20x75, T25x75, T27x75, T30x75mm
	x1	140mm



53165

19,60€




INSULATED CABLE HOOK KNIFE




Type	Curvado/Curved
Finish	VDE
Material	CrV
Weight	0,10Kg
Dimensions (LxWxH)	75x30x270mm

54241

120,00€




INSULATED RESCUE HOOK
- 45KV



Working voltage	45KV
Material	Fibra de vidrio/Fiberglass, Resina poliester/Polyester resin
Lenght	1650mm
Weight	1,10Kg

54132

190,00€




ELECTRICAL
INSULATING FACE
SHIELD FOR VOLTAGE
WORK




Height	205mm
Protection	Clase I/Class I
Type	Tratamiento anti-vaho/Anti-fogging treatment
Weight	0,70Kg

54129

110,00€



INSULATING MAT
CLASS 0



AC current measurement	1000V
DC current measurement	1500V
Protection	Clase/Class 0
Weight	2,10Kg
Dimensions (LxWxH)	1000x600x2mm

54131

65,00€




INSULATING GLOVES FOR
VOLTAGE WORK T.10

Material	Látex
Lenght	360mm
Protection	Categoría/Category III (AZC/RC)
Working voltage	AC 1000V / DC 1500V


54130


65,00€



INSULATING GLOVES FOR
VOLTAGE WORK T.9

Material	Látex
Lenght	360mm
Protection	Categoría/Category III (AZC/RC)
Working voltage	AC 1000V / DC 1500V




53940**15,50€**

YELLOW/BLACK PLASTIC POST




Color	Negro/Black, Amarillo/Yellow
Material	PVC
Lenght	850mm
Weight	0,55Kg

54326**8,50€**

PLASTIC CHAIN - 7M YELLOW/BLACK




Color	Negro/Black, Amarillo/Yellow
Material	PVC
Lenght	7m
Weight	0,30Kg

53942**0,50€**

PLASTIC S-HOOK




Color	Negro/Black
Material	PVC
Lenght	350mm
Weight	0,01Kg

53987**10,00€**

YELLOW / BLACK BARRIER TAPE - 200M




Color	Negro/Black, Amarillo/Yellow
Material	PE
Lenght	200m
Weight	0,59Kg

54322**21,00€**


SET OF 2 HIGH VOLTAGE WARNING SIGNS




Weight	0,05Kg
Dimensions (LxH)	500x165mm

54233**1.856,00€**

TOOL TROLLEY 7 DRAWERS GRAY SPECIAL VDE

54234**1.856,00€**

TOOL TROLLEY 7 DRAWERS RED SPECIAL VDE

54235**1.856,00€**

TOOL TROLLEY 7 DRAWERS BLUE SPECIAL VDE

54236**1.856,00€**


TOOL TROLLEY 7 DRAWERS GREEN - SPECIAL VDE




TECHNICAL SPECIFICATIONS

Measures dsmall drawer	74mm	533mm	400mm
Small drawer capacity		30Kg	
Measures large drawer	151,5mm	533mm	400mm
Large drawer capacity		30Kg	

SQUARE HITCH



51972 12,00€




AUTOMATIC SELF ADJUSTING WIRE STRIPPER



Pieces	1
Material	Nylon reforzado/Reinforced nylon, Acero/Steel
Lenght	170mm
Top opening	0.25 - 2.5mm2
Bottom opening	0.5-6mm
Weight	0,25Kg

52761 8,00€



CRIMPING TOOL FOR INSULATED AND NON-INSULATED TERMINALS 9"



Pieces	1
Material	65Mn
Lenght	9" - 230mm
Opening	38mm
Weight	0,25Kg

53483 35,03€



SET OF 3 ADJUSTABLE PLIERS



Pieces	3
Material	Cr-V
Lenght	180, 240, 300mm
Opening	27, 38, 44mm
Weight	1,30Kg

53602 33,00€



HEAVY DUTY CABLE CUTTER - 360MM



Pieces	1
Lenght	360mm
Diameter	125mm2
Weight	0,60Kg

53603 49,50€



HEAVY DUTY CABLE CUTTER - 550MM



Pieces	1
Lenght	550mm
Diameter	250mm2
Weight	1,75Kg

53604 128,00€



HEAVY DUTY CABLE CUTTER - 800MM



Pieces	1
Lenght	800mm
Diameter	500mm2
Weight	3,70Kg

54551 11,50€



6 IN 1 STUBBY RATCHET SCREWDRIVER



Pieces	8
Finish	Mate / Matt
Material	40Cr
Weight	0,22Kg
Dimensions (LxWxH)	80x80x220mm

54552 15,00€




12 IN 1 RATCHET SCREWDRIVER



Pieces	14
Finish	Mate / Matt
Material	40Cr
Weight	0,30Kg
Dimensions (LxWxH)	80x80x325mm

54531

14,90€




SET OF 9 EXTRA-LONG COLORED BALL-END ALLEN KEYS



Pieces	9
Type	Extralargo/Extra Long
Profile	Allen, Punta Redonda/Round Tip
Material	S2
Measures	1,5, 2, 2,5, 3, 4, 5, 6, 8, 10mm
Lenght	90-220mm
Weight	0,46Kg

54532

14,90€




SET OF 9 EXTRA-LONG COLORED TORX KEYS



Pieces	9
Type	Extralargo/Extra Long
Profile	Torx
Material	S2
Measures	T10, T15, T20, T25, T27, T30, T40, T45, T50
Lenght	90-218mm
Weight	0,48Kg

52786

14,60€



FOLDING KNIFE WITH SEATBELT CUTTER & WINDOW BREAKING HAMMER



Pieces	1
Lenght	200mm
Cutting blade	80mm
Weight	0,16Kg

54374

79,00€



TOOL BAG - 41L



Material	Tela Oxford/Oxford cloth 1680D/600D, PVC
Capacity	41L
Weight	2,10Kg
Dimensions (LxWxH)	360x230x500mm

54518

457,50€



MODULAR TROLLEY WITH 4 STACKABLE BOXES

Material	PP modificado/Modified PP
Modules	4
First module measurement	555x340x115mm
Second module measurement	550x340x160mm
Third module measurement	580x340x410mm
Fourth module measurement	550x340x310mm
First module capacity	10Kg
Second module capacity	20Kg
Third module capacity	40Kg
Fourth module capacity	30Kg
Sealed closure	Si/Yes
Capacity	100Kg
Weight	22,50Kg
Contains	54519, 54520, 54535, 54537
Dimensions (LxWxH)	580x450x970mm



60058C 154,00€



12V BRUSHLESS HAMMER DRILL WITH STORAGE CASE



Voltage	12V
Power	350W
Maximum torque	45Nm
Nominal speed	1700RPM
Impact rate	6750, 25500BPM
Ø drilling in concrete	8mm
Ø of steel drilling	10mm
Ø drilling in wood	25mm
Speeds	2
Chuck size	Ø10mm
LED	Si/Yes
Includes	60058, 60025, 60026
Compatible with	60025, 60026
Weight	2,80Kg
Dimensions (LxWxH)	168x185x56mm

60059C 167,00€



BRUSHLESS IMPACT WRENCH 3/8" 250NM WITH STORAGE CASE



Square measure	3/8"
Voltage	12V
Power	435W
Max. breaking torque (untightening)	250Nm
Nominal speed	1200,1800, 2700RPM
IPM Impulses	1100, 2100, 3200
Speeds	3
LED	Si/Yes
Includes	60059, 60025, 60026
Compatible with	60025, 60026
Weight	3,00Kg
Dimensions (LxWxH)	126x69x184mm

60060C 165,00€



BRUSHLESS IMPACT DRIVER 1/4" 150NM WITH STORAGE CASE



Square measure	1/4"
Voltage	12V
Power	396W
Max. breaking torque (untightening)	150Nm
Nominal speed	1200, 1800, 2700RPM
IPM Impulses	1100, 2100, 3200
Speeds	3
LED	Si/Yes
Includes	60060, 60025, 60026
Compatible with	60025, 60026
Weight	3,00Kg
Dimensions (LxWxH)	126x69x184mm

60062C 216,00€




12V BRUSHLESS RATCHET 1/2" WITH STORAGE CASE



Square measure	1/2"
Voltage	12V
Power	360W
Max. tightening torque	80Nm
Max. breaking torque (untightening)	80Nm
Nominal speed	175RPM
Includes	60062, 60025, 60026
LED	Si/Yes
Compatible with	60025, 60026
Weight	3,03Kg
Dimensions (LxWxH)	400x315x91mm

54769 200,00€




1/4" CORDLESS RATCHET - 3.6V WITH CHARGER



Square measure	1/4"
Voltage	3,6V
Power	7,2W
Maximum motor torque	3Nm
Maximum manual torque	62,3Nm
Nominal speed	320RPM
LED	Si/Yes
Charger	USB Tipo C/ USB Type C
Battery type	Lithium-ION/Litio-ION 3,6V, 2,0Ah
Dimensions (LxWxH)	35x215x35mm

54860 54,50€



3-SPEED WIRELESS ELECTRIC SCREWDRIVER AND BIT SET




Axle size	1/4"
Voltage	4V
Max. tightening torque	5Nm
Nominal speed	300RPM
Battery	LI-ION 1500mAh
Speeds	3
Weight	1,40Kg
Dimensions (LxWxH)	183x35x35mm



54114

248,00€




INSULATION TESTER

Voltage	AC / DC
AC voltage measurement	0-750V
DC voltage measurement	0-1000V
Resistance measurement (Ω)	0-200Ω, 200-2000Ω, 0-200mΩ, 200-2000mΩ
Operating environment	0°C/40°C
Storage environment	-10°C/60°C
Battery	6 Pilas/Batteries AA
Measurement category	CAT III
Installation category	2
Weight	1,48Kg
Dimensions (LxWxH)	200x92x55mm



52231

53,00€



MULTIMETER ACCESSORIES SET



Pieces	9
Extension cables	113cm
Weight	0,41Kg
Dimensions (LxWxH)	115x175x55mm

52439

227,00€




MULTIMETER CABLE SET AND ACCESSORIES



Pieces	92
Weight	3,26Kg
Dimensions (LxWxH)	505x365x105mm

53030

12,00€



AUTOMOTIVE CIRCUIT TESTER 3X142MM



Voltage	6,12,24V
Weight	0,17Kg
Dimensions (LxH)	3x142mm

52952

74,00€




PROFESSIONAL DIGITAL CLAMP MULTIMETER



Voltage	AC / DC
Operating environment	0°C/40°C
Storage environment	-10°C/40°C
Battery	2 Pilas/Batteries AAA
Weight	0,26Kg
Dimensions (LxWxH)	175x53x25mm

52382


19,50€




DIGITAL CLAMP MULTIMETER



Voltage	AC / DC
Storage environment	0°C/40°C
Operating environment	-10°C/40°C
Battery	2 Pilas/Batteries AAA
Weight	0,23Kg
Dimensions (LxWxH)	167x55x22mm

54557**78,00€****VOLTAGE TESTER**

Voltage	12-1000V
Frequency	40-400Hz
Operating temperature	-10/55°C
Weight	0,40Kg
Dimensions (LxWxH)	73x34x268mm

54559**18,60€****NON CONTACT VOLTAGE TESTER**

Voltage	50-1000V
Frequency	50-60Hz
Operating temperature	0/50°C
Weight	0,15Kg
Dimensions (LxWxH)	143x25x21mm

54707**437,00€****THERMAL IMAGING CAMERA**

Screen	2,4 LCD TFT
Resolution	320x240px
Emisivity	0,01-0,99LCD
Precision	±2°C
Range	-20/400°C
Focal length	0,1m
Visualization	6 Filtras/Filters
Battery	Li-ion 3.7V/2600mAh 18650
Charging port	USB C
Weight	0,31Kg
Dimensions (LxWxH)	197x72x60mm

**55121****480,00€****BIDIRECTIONAL ARTICULATING ENDOSCOPE WITH IPS DISPLAY, HD CAMERA AND LED LIGHTING**

Screen	IPS 480x854
Articulated	Bidireccional/ ±180°
LED	Ajustable/Adjustable x3
Cable length	1m
Head diameter	3.9mm
Rechargeable battery	5000 mAh
Languages	x12
Overheat protection	≥85 °C
IP protection	IP67
Compatible with	Max 32GB
Includes	Funda/Case



53503**12,00€**

0.05 20 100 2400

**CONTACT DIGITAL THERMOMETER**

Battery	Pila/Battery 1.5V
Measuring range	-50°C/+330°C
Precision	±1°C
Units of measure	°C / °F
Weight	0,05Kg

52450**111,00€**

0.72 5 20 200

**LASER INFRARED THERMOMETER -50° TO 1000°C**

Voltage	9V
Measuring range	-50/1000°C
Precision	±1,5°C
Emisivity	0.1-1.0
Response time	500ms
Weight	0,72Kg
Dimensions (LxWxH)	175x105x48mm

53977**17,50€**

0.30 12 48 576

**40W SOLDERING IRON**

Voltage	220-240V
Power	40W
Frequency	50Hz
Operating temperature	450°+/-10%
Length	240mm
Cable length	1,3m

51831**24,00€**

0.35 12 36 288

**HEAT-MELT ADHESIVE GUN**

Voltage	100-200V
Power	60-150W
Operating temperature	190/230°C
Nozzle diameter	2,3mm
Weight	0,35Kg

52162**38,00€**

0.17 6 72 576

**LASER THERMOMETER -50°C TO 550°C**

Voltage	9V
Measuring range	-50/550°C
Precision	±2°C
Emisivity	0.1-1.0
Response time	500ms
Weight	0,17Kg
Dimensions (LxWxH)	145x37x90mm

53111**19,30€**

0.30 5 25 600

**100W SOLDERING IRON**


Voltage	220-240V
Power	100W
Frequency	50Hz
Operating temperature	420°+/-10%
Length	250mm
Cable length	1,5m

53145**43,00€****HOT AIR GUN 1600W**

Voltage	220-240V
Power	1600W
Frequency	50-60Hz
Operating temperature	400/550°C
Air flow rate	250-550L/min
Weight	0,95Kg

53162**70,00€****DIGITAL HOT AIR GUN 2000W**

Voltage	220-240V
Power	2000W
Frequency	50-60Hz
Operating temperature	50/600°C
Air flow rate	280-550L/min
Weight	0,80Kg

51920**18,00€****GAS TORCH**

Weight	0,15Kg
Dimensions (LxWxH)	220x165x75mm

53992**18,00€****HEAT SHRINKA SOLDER SLEEVE SET 100PCS**

Pieces	100
Material	PE
Weight	0,10Kg
Dimensions (LxWxH)	137x67x27mm

53374**10,00€****HEATING TUBE ASSORTMENT 127PCS**

Pieces	127
Material	PE
Weight	0,15Kg
Dimensions (LxWxH)	210x110x28mm

53376**10,50€****RED HEATING TUBE ASSORTMENT 127PCS**

Pieces	127
Material	PE
Weight	0,15Kg
Dimensions (LxWxH)	210x110x28mm



CHARGER ACCESSORIES

REF.	DESCRIPTION					€
15460	RFID CARD	0.01	-	250	-	5,00€
16130	METER FOR CHARGER 54265	0.40	-	15	-	392,00€



CHARGING CABLE

REF.	DESCRIPTION					€
54053	3.6KW 16A TYPE 1 - TYPE 2 SINGLE-PHASE	2.15	-	5	-	248,00€
54054	7.5KW 16A TYPE 1 - TYPE 2 SINGLE-PHASE	2.90	-	5	100	268,00€
54055	3.6KW 16A TYPE 2 - TYPE 2 SINGLE-PHASE	2.15	-	5	100	220,00€
54056	11KW 16A TYPE 2 - TYPE 2 THREE-PHASE	2.85	-	5	102	260,00€
54057	7.5KW 32A TYPE 2 - TYPE 2 SINGLE-PHASE	2.95	-	5	90	248,00€
54058	22KW 32A TYPE 2 - TYPE 2 THREE-PHASE	3.85	-	5	90	348,00€




WALL CHARGER

REF.	DESCRIPTION					€
52600	3.6KW 16A TYPE 2 SINGLE-PHASE	4.65	-	4	80	884,00€
52902	7.5KW 32A TYPE 2 SINGLE-PHASE	4.90	-	4	40	970,00€
52903	22KW 16A TYPE 2 THREE-PHASE	5.25	-	1	40	1.100,00€



WALL CHARGER

REF.	DESCRIPTION									€
54265	22KW	32A	TYPE 2	THREE-PHASE	5.35	-	1	120		1.290,00€
54059	3.6KW	16A	TYPE 2	SINGLE-PHASE	2.55	-	5	90		428,00€



54386

5.839,00€



1200KG ENERGY VEHICLE BATTERY ASSEMBLING LIFT WITH BRACKETS

54564

5.511,00€




1200KG ENERGY VEHICLE BATTERY ASSEMBLING LIFT WITHOUT BRACKETS



Voltage	220V
Capacity	1200Kg
Maximum lifting height	1840mm
Minimum lifting height	650mm
Platform dimensions	1290x768mm
Dimensions of the extended platform	1400x768mm
Lifting time (no load)	24s
Descent time (no load)	140s
Including bracket	Si/Yes
Weight	418,00Kg
Dimensions (LxWxH)	1840x770x650mm

Voltage	220V
Capacity	1200Kg
Maximum lifting height	1840mm
Minimum lifting height	650mm
Platform dimensions	1290x768mm
Dimensions of the extended platform	1400x768mm
Lifting time (no load)	24s
Descent time (no load)	140s
Including bracket	No
Weight	418,00Kg
Dimensions (LxWxH)	1840x770x650mm


* Retail prices. Taxes not included. Valid until 31/12/2025

53585**168,00€****21M RETRACTABLE ELECTRIC CABLE REEL**

Voltage	230V
Power	1500-3000W
Lenght	20+1M
IP protection	IP44
Cable	H07RN-F3G1.5mm2
Weight	16,00Kg
Dimensions (LxWxH)	320x205x340mm

53586**168,00€****21M RETRACTABLE ELECTRIC CABLE REEL**


Voltage	230V
Power	1500-3000W
Lenght	20+1M
IP protection	IP44
Cable	H07RN-F3G1.5mm2
Weight	16,00Kg
Dimensions (LxWxH)	320x205x340mm

53526**119,00€****12M RETRACTABLE ELECTRIC CABLE REEL**

Voltage	230V
Power	1500-3000W
Lenght	11+1M
IP protection	IP44
Cable	H07RN-F3G1.5mm2
Weight	18,00Kg
Dimensions (LxWxH)	330x170x300mm

53584**119,00€****12M RETRACTABLE ELECTRIC CABLE REEL**

Voltage	230V
Power	1500-3000W
Lenght	11+1M
IP protection	IP44
Cable	H07RN-F3G1.5mm2
Weight	20,00Kg
Dimensions (LxWxH)	330x170x300mm

51033**89,00€****ELECTRIC CABLE REEL EXTENSION 25M**


Voltage	300V
Power	1.110-3.200W
Cable lenght	25m
IP protection	IP20
Cable	H05W-F 3X1,5 mm2 (PVC)
Weight	3,86Kg
Dimensions (LxWxH)	320x230x155mm



REF.	DESCRIPTION					€
53166	EXTENSION CABLE 3M	0.45	5	30	600	11,30€
53167	EXTENSION CORD 5M	0.65	5	20	600	13,90€
53168	EXTENSION CABLE 10M	1.20	-	10	300	31,00€

54039

154,00€




INDUSTRIAL LED BELL - 20000LM



Pieces	1
Brightness	20000Lm
Power	200W
Voltage	220V
LED type	MTC
Number of LED's	288
Cable lenght	300mm
IP protection	IP20
Weight	2,60Kg
Dimensions (LxH)	500x380mm

54088

132,00€




INDUSTRIAL LED BELL - 18000LM



Brightness	18000Lm
Power	250W
Voltage	200-240V
LED type	SMD2835
Number of LED's	240
Cable lenght	400mm
IP protection	IP65
Weight	2,50Kg
Dimensions (LxWxH)	320x157mm

53505

77,00€



LED SPOTLIGHT - 3500LM

Brightness	3500Lm
Power	50W
Voltage	230V
Number of LED's	60
Working time	+25000h
Cable lenght	2m
IP protection	IP65
Weight	2,50Kg
Dimensions (LxWxH)	328x235x41mm



REF.	DESCRIPTION					€
54229	2KW HEATER	1.76	-	8	80	48,00€
54230	3KW HEATER	3.10	-	8	56	68,00€
54231	5KW HEATER	4.80	-	1	27	138,00€
54232	9KW HEATER	7.90	-	1	12	248,00€





JBMprofessionaltools



@jbmtools



jbmtools



jbm_tools



JBM Campllong S.L.